BID AWARD ANNOUNCEMENT

FSA16-VEH14.0

Effective Dates:
October 1, 2016 – September 30, 2017

Cab & Chassis Trucks and Other Fleet Equiqment

Cooperative Bid Program

Coordinated By

The
Florida Sheriffs Association
&
Florida Association of Counties







Protecting, Leading & Uniting...since 1893

FLORIDA SHERIFFS ASSOCIATION

2617 Mahan Drive, Tallahassee, Florida 32308 P.O. Box 12519 • Tallahassee, Florida 32317-2519 p: (850) 877-2165 f: (850) 878-8665 www.fisheriffs.org

DATE:

October 1, 2016

TO:

ALL PROSPECTIVE PARTICIPANTS

FROM:

Steve Casey,

Executive Director

Peggy Goff,

Deputy Executive

Director

Drew Terpak,

Business Operations

Manager

Annette Grissom,

Cooperative Bid

Coordinator

RE:

Bid Number: FSA16-VEH14.0 Cab & Chassis Trucks & Other Fleet Equipment

We are pleased to announce that the Florida Sheriffs Association and the Florida Association of Counties has successfully conducted its 14th statewide competitive bid for vehicles and heavy equipment which includes trucks, backhoes, motorgraders, agriculture type tractors, skid steer loaders, street sweepers, generators, and light towers. This contract is effective beginning October 1, 2016 through September 30, 2017, as long as vehicles are available through fleet.

Bids will be extended and guaranteed to any and all units of local governments/political subdivisions including but not limited to county, local county board of public instruction, municipalities and/or police agencies, other local public or public safety agencies or authorities within the State of Florida, and the state universities and colleges. In addition, bids will be extended and guaranteed to any other entities approved by manufacturers to participate in this contract. The participating agencies cannot guarantee any order other than those ordered through each individual agency.

All agencies are bound by their local governing purchasing ordinances, rules and regulations and shall apply to purchases made under this contract. All awarded Vendors/Dealers are governed by their manufacturer's agreement.

Out of State Sales are permitted under this contract however, again ALL agencies are bound by their local governing purchasing ordinances, rules and regulations and shall apply to purchases made under this contract. All contractor/dealers are governed by their manufacturer's agreement. All contractor/dealers referencing this contract for the purpose of facilitating sales (purchase authority) outside the State of Florida must accept the terms and conditions of this contract.

In order to ensure quality service for our user agencies, we are requesting each of you to notify the Florida Sheriffs Association regarding any problems encountered in working with the awarded dealers. Any issues, including but not limited to, receipt of confirmation of order, delivery problems and communication problems, should be reported to us by e-mail at fleet@flsheriffs.org. This information will be considered in future bid awards in order to ensure that agencies are receiving the level of service required of dealers who wish to participate in this program.

CONTRACT ORDERING INSTRUCTIONS

All interested parties who wish to purchase from this contract may do so by following these simple procedures:

1. Contact the awarded dealership listed in the zone from which you wish to purchase and advise them of your interest to purchase from **Bid No. FSA16-VEH14.0**. They will assist you with the placement of your order and answer any questions you may have regarding the vehicles purchased through this program. You can only purchase from a dealer who is listed as a winner of one of the four zones for the vehicle you wish to purchase. However, you may purchase from any awarded dealer within any zone (additional delivery fees may apply).

Agencies ordering a Ford, General Motors, Chysler, or Toyota product, please be advised that you must use the appropriate FIN Code/FAN Code for the Florida Sheriffs Association in order to obtain the manufacturer's concessions. Also, you must use your FIN Code/FAN Code as a secondary number. For further assistance call the Fleet Customer Information Center for your appropriate manufacturer.

| Manufacturer Ford | Type Code FIN Code | FSA Code QE065 | Fleet Center Cont 1-800-34-FLEET | act Numbers (1-800-343-5338) |
|-----------------------------|-----------------------|-------------------|-------------------------------------|---------------------------------|
| General Motors | FAN Code | 917872 | 1-800-FLEET OP | (1-800-353-3867) |
| Chrysler | FAN Code | 48830 | 1-800-999-FLEET | (1-800-999-3533) |
| Toyota | FIN Code | GE159 | 1-800-732-2798 | |

2. Basic information required on all purchase orders is listed in this Bid Award Announcement. Purchase orders lacking the required basic information listed may result in the delay of placement and/or confirmation of orders. NOTE: The agency is responsible for obtaining a "Confirmation of Order" from the respective dealership. Dealers are required to complete a "Confirmation of Order" and send it to the purchaser within fourteen (14) calendar days after receipt of purchase order. Purchasers are encouraged to contact the dealer if a "Confirmation of Order" has not been received within a reasonable time.

Purchasers are reminded that the issuance of a purchase order does not in itself guarantee the placement of an order.

The purchase order should include FSA's Contract Number FSA16-VEH14.0 as well as the specification number, make and model of each item purchased. Please attach the dealer quote when available.

3. Purchasers must send a copy of the original purchase order sent to the participating dealer in pdf format to: COOP@flsheriffs.org.

4. Dealers have already included a three-quarter of one percent (.0075) administrative fee in their base pricing and all add options that are listed. Dealers' quotes to purchasers should not include the FSA administrative fee indicated as a separate line item on any purchase order.

No other administrative fee(s) will be applicable to any transaction relative to the contract.

- 5. In order to ensure quality service for our user agencies, we are requesting that you notify the Florida Sheriffs Association, in writing, regarding any problems encountered in working with the awarded dealers. Any issues, including but not limited to, receipt of confirmation of order, delivery problems and communication problems, should be reported to us by e-mail at fleet@flsheriffs.org. This information will be considered in future bid awards in order to ensure that agencies are receiving the level of service required of dealers who wish to participate in this program.
- 6. Add/delete options might include a superscript listed by the Order Code. The purpose of the superscript is to identify which options correlate to a specific zone. Superscripts will be numbered between 1 and 4, and will correspond as follows:

1 = Western zone dealer

2 = Northern zone dealer

3 = Central zone dealer

4 = Southern zone dealer

If a dealer has been awarded more than one zone, they will only have one superscript number assigned, and it will be the lowest numeric number that applies to their awarded zones. For example: If a dealer is awarded the northern and southern zones, their add/delete options for both zones will be represented by a "2" superscript.

FSA CONTRACT ZONE MAP

WESTERN



Orlando Freightliner Inc.
2455 S. Orange Blossom Trail
Apopka Fl. 32703
407-295-3846 ext 122
407-291-8408 fax
407-509-6651 ceil

To Bill Darty/Clty of Boynton Beach

Orlando Freightliner is pleased to quote the following Freightliner M2 106 via the 2016-2017 Florida Sheriffs Association bid #FSA-16VEH 14.0.

| Spec #12 | \$ 39,720.00 |
|---|-----------------|
| 33000GVW3500 see attachment 1 for full list | \$ 25,819.00 |
| of specifications | |
| 3.477-006° | \$ 84.00 |
| 452-007 | \$ 773.00 |
| 2-532-002 | \$ 477.00 |
| 7 654-011 | \$ 226.00 |
| 9.727-1AH | \$ 135.00 |
| \$ T20-002/122-002 | \$ 64.00 |
| HITCH | \$ 1,699.00 |
| 019-001 | \$ 1,117.00 |
| 0.297.001 | \$ 890.00 |
| 590-001 | INCL |
| 10' 5YD | \$ 20,335.00 |
| 3721-001 | \$ 59.00 |
| BUC | \$ 1,350.00 |
| DEALER ADD CORNER AND BED STROBES | \$ 1,772.00 |
| Total | \$ 94,520.00 |

Sincerely, Bob Scharpnick Municipal Sales Orlando Freightliner Isuzu Truck of Ocala

Prepared by:
Bob Scharpnick
ORLANDO FREIGHTLINER
2455 S. ORANGE BLOSSOM TRAIL
APOPKA, FL 32703
Phone: 4072953846

SPECIFICATION PROPOSAL

| | Data Code | Description |
|---------|-------------|---|
| Price L | evel | |
| | PRL-14M | M2 PRL-14M (EFF:10/05/15) |
| Data V | ersion | |
| | DRL-012 | SPECPRO21 DATA RELEASE VER 012 |
| Vehicle | Configurati | ion |
| | 001-172 | M2 106 CONVENTIONAL CHASSIS |
| | 004-218 | 2018 MODEL YEAR SPECIFIED |
| | 002-004 | SET BACK AXLE - TRUCK |
| 1 | 019-001 | TRAILER TOWING PROVISION AT END OF FRAME FOR TRUCK |
| | 003-001 | LH PRIMARY STEERING LOCATION |
| Genera | ! Service | |
| , | AA1-003 | TRUCK/TRAILER CONFIGURATION |
| | AA6-001 | DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES) |
| | A85-011 | CONSTRUCTION SERVICE |
| | A84-1GM | GOVERNMENT BUSINESS SEGMENT |
| | AA4-003 | DRY BULK COMMODITY |
| | AA5-002 | TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS |
| | AB1-008 | MAXIMUM 8% EXPECTED GRADE |
| | AB5-001 | SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE |
| | 995-091 | MEDIUM TRUCK WARRANTY |
| | A66-99D | EXPECTED FRONT AXLE(S) LOAD: 12000.0 lbs |
| | A68-99D | EXPECTED REAR DRIVE AXLE(S) LOAD: 21000.0 lbs |
| | A63-99D | EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 33000.0 lbs |



Data Code

Description

k) 4/1

| | Data Code | |
|---------|-------------|--|
| | A70-99D | EXPECTED GROSS COMBINATION WEIGHT: 55000.0 lbs |
| Truck S | Service | |
| | AA3-005 | FLATBED/PLATFORM/STAKE BODY |
| | AF7-99D | EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES: 32.0 in |
| Tractor | Service | |
| | AA2-005 | FLATBED TRAILER |
| | AH6-001 | SINGLE (1) TRAILER |
| Engine | 19370 | |
| | 101-22M | CUM L9 260 HP @ 2200 RPM; 2200 GOV RPM, 720 LB/FT @ 1300 RPM |
| Electro | nic Paramet | |
| | 79A-073 | 73 MPH ROAD SPEED LIMIT |
| | 79B-000 | CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT |
| | 79K-007 | PTO MODE ENGINE RPM LIMIT - 1100 RPM |
| | 79P-002 | PTO RPM WITH CRUISE SET SWITCH - 700 RPM |
| | 79Q-003 | PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM |
| | 798-001 | PTO MODE CANCEL VEHICLE SPEED - 5 MPH |
| | 79U-007 | PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND |
| | 80G-002 | PTO MINIMUM RPM - 700 |
| | 80J-002 | REGEN INHIBIT SPEED THRESHOLD - 5 MPH |
| Engine | Equipment | |
| | 99C-017 | 2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION |
| | 99D-011 | 2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR) |
| | 13E-001 | STANDARD OIL PAN |
| | 105-001 | ENGINE MOUNTED OIL CHECK AND FILL |
| | 133-004 | ONE PIECE VALVE COVER |
| | 014-099 | SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER |
| | 124-1D7 | DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE |
| | 292-098 | (2) ALLIANCE MODEL 1231, GROUP 31, 12 VOLT MAINTENANCE FREE 2250 CCA THREADED STUD BATTERIES |



| 290-017 BATTERY BOX FRAME MOUNTED | |
|---|--|
| | |
| 281-001 STANDARD BATTERY JUMPERS | |
| 282-001 SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB | |
| 291-017 WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN | |
| 289-001 NON-POLISHED BATTERY BOX COVER | |
| 107-032 CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE | |
| 108-002 STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR | |
| 131-013 AIR COMPRESSOR DISCHARGE LINE | |
| 152-041 ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM | |
| 128-076 CUMMINS EXHAUST BRAKE INTEGRAL WITH VARIABLE GEOMETRY TURBO WITH ON/OFF DASH SWITCH | |
| 016-1C3 RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE | |
| 28F-002 ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH | |
| 239-001 STANDARD EXHAUST SYSTEM LENGTH | |
| 237-052 RH STANDARD HORIZONTAL TAILPIPE | |
| 23U-001 6 GALLON DIESEL EXHAUST FLUID TANK | |
| 30N-003 100 PERCENT DIESEL EXHAUST FLUID FILL | |
| 43X-002 LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION | |
| 23Y-001 STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING | |
| 43Y-001 STANDARD DIESEL EXHAUST FLUID TANK CAP | |
| 273-018 HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE | |
| 276-001 AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED | |
| 110-003 CUMMINS SPIN ON FUEL FILTER | |
| 118-008 COMBINATION FULL FLOW/BYPASS OIL FILTER | |
| 120-009 FLEETGUARD PLAIN COOLANT FILTER | |
| 266-013 1100 SQUARE INCH ALUMINUM RADIATOR | |
| 103-039 ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT | |
| 171-007 GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT | |



Data Code

Description

| | 200 0000 | |
|--------|----------------|---|
| | 172-001 | CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES |
| | 270-016 | RADIATOR DRAIN VALVE |
| | 168-002 | LOWER RADIATOR GUARD |
| | 134-001 | ALUMINUM FLYWHEEL HOUSING |
| | 132-004 | ELECTRIC GRID AIR INTAKE WARMER |
| | 155-058 | DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH |
| Transm | nission | |
| | 342-584 | ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION |
| Transm | nission Equip | pment |
| | 343-320 | ALLISON VOCATIONAL PACKAGE 168 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODEL RDS |
| | 84B-012 | ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES |
| | 84C-023 | PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY |
| | 84D-023 | SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY |
| | 84E-013 | S1 PREFORMANCE PRIMARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY |
| | 84F-012 | S1 PERFORMANCE SECONDARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY |
| | 84G-000 | PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE |
| | 84H-000 | SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE |
| | 84L-000 | LOAD BASED SHIFT SCHEDULE AND VEHICLE ACCELERATION CONTROL RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED VOCATIONAL USAGE |
| | 84N-000 | NEUTRAL AT STOP - DISABLED, FUELSENSE - DISABLED |
| | 84U-000 | DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES |
| | 34C-001 | ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED |



Prepared by: Bob Scharpnick ORLANDO FREIGHTLINER 2455 S. ORANGE BLOSSOM TRAIL APOPKA, FL 32703 Phone: 4072953846

| | Data Code | Description |
|-----------|-------------|--|
| 3 | 362-157 | CUSTOMER INSTALLED MUNCIE CS20/CS24 SERIES PTO |
| 3 | 363-001 | PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION |
| 3 | 341-018 | MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN |
| 3 | 345-003 | PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED |
| 9 | 7G-004 | TRANSMISSION PROGNOSTICS - ENABLED 2013 |
| 3 | 370-015 | WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK |
| 3 | 46-003 | TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK |
| 3 | 5T-001 | SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT) |
| Front Axl | e and Equip | ment |
| 4 | 00-1A6 | DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE |
| 4 | 02-020 | MERITOR 15X4 Q+ CAM FRONT BRAKES |
| 4 | 03-002 | NON-ASBESTOS FRONT BRAKE LINING |
| 4 | 19-023 | CONMET CAST IRON FRONT BRAKE DRUMS |
| 4 | 09-021 | SKF SCOTSEAL PLUS XL FRONT OIL SEALS |
| 4 | | VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL |
| 4 | 16-022 | STANDARD SPINDLE NUTS FOR ALL AXLES |
| 40 | | MERITOR AUTOMATIC FRONT SLACK ADJUSTERS |
| 5 | 36-050 | TRW THP-80 POWER STEERING |
| 5 | 39-003 | POWER STEERING PUMP |
| 5. | | 2 QUART SEE THROUGH POWER STEERING RESERVOIR |
| 40 | 0T-002 | SYNTHETIC 75W-90 FRONT AXLE LUBE |
| Front Sus | pension | |
| 62 | 20-1F0 | 12,000# DUAL TAPERLEAF FRONT SUSPENSION |
| 61 | | MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION |
| 62 | | NO FRONT SUSPENSION SPRING BRACKET OPTIONS |
| 41 | 10-001 | FRONT SHOCK ABSORBERS |
| Rear Axie | and Equipm | nent |
| 42 | | RS-21-160 21,000# R-SERIES SINGLE REAR |



AXLE



Data Code

Description

| | Data Code | Description |
|---------|-----------|---|
| | 421-563 | 5.63 REAR AXLE RATIO |
| | 424-001 | IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING |
| | 386-076 | MXL 17N MERITOR EXTENDED LUBE MAIN DRIVELINE WITH FULL ROUND YOKES |
| 4 | 462-50M / | DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE |
| | 878-018 | (1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE |
| | 87B-004 | BLINKING LAMP WITH EACH MODE SWITCH, DIFFERENTIAL UNLOCK WITH IGNITION OFF, ACTIVE <5 MPH |
| | 423-020 | MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES |
| | 433-002 | NON-ASBESTOS REAR BRAKE LINING |
| | 434-011 | BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) |
| | 451-023 | CONMET CAST IRON REAR BRAKE DRUMS |
| | 440-021 | SKF SCOTSEAL PLUS XL REAR OIL SEALS |
| | 426-074 | HALDEX GOLDSEAL LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS |
| | 428-002 | MERITOR AUTOMATIC REAR SLACK ADJUSTERS |
| | 41T-002 | SYNTHETIC 75W-90 REAR AXLE LUBE |
| Rear Su | spension | |
| | 622-1MJ | 23,000# 52 INCH VARIABLE RATE MULTI-LEAF SPRING REAR SUSPENSION WITH LEAF SPRING HELPER |
| | 621-001 | SPRING SUSPENSION - NO AXLE SPACERS |
| | 431-001 | STANDARD AXLE SEATS IN AXLE CLAMP GROUP |
| Brake S | ystem | |
| | 018-002 | AIR BRAKE PACKAGE |
| | 490-100 | WABCO 4S/4M ABS WITHOUT TRACTION CONTROL |
| | 871-001 | REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES |
| | 904-001 | FIBER BRAID PARKING BRAKE HOSE |
| | 412-001 | STANDARD BRAKE SYSTEM VALVES |
| | 46D-002 | STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM |
| | 413-002 | STD U.S. FRONT BRAKE VALVE |



Data Code

Description

| | Data Code | Description |
|---------|-------------|--|
| | 432-003 | RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE |
| | 480-083 | WABCO SS-1200 PLUS AIR DRYER WITH INTEGRAL AIR GOVERNOR AND HEATER |
| | 479-012 | AIR DRYER MOUNTED UNDER HOOD |
| | 460-001 | STEEL AIR BRAKE RESERVOIRS |
| 5 | 477-006 | BW DV-2 AUTO DRAIN VALVE WITHOUT HEATER ON ALL TANK(S) |
| Trailer | Connections | |
| | 914-001 | AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS |
| | 296-010 | PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION |
| C | 297-001 | SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME |
| | 335-004 | UPGRADED CHASSIS MULTIPLEXING UNIT |
| | 32A-002 | UPGRADED BULKHEAD MULTIPLEXING UNIT |
| | 30L-998 | NO HIGH CURRENT TRAILER/BODY CABLE |
| Wheelb | ase & Frame | |
| | 545-380 | 3800MM (150 INCH) WHEELBASE |
| | 546-100 | 11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI |
| | 552-007 | 2450MM (96 INCH) REAR FRAME OVERHANG |
| | 55W-009 | FRAME OVERHANG RANGE: 91 INCH TO 100 INCH |
| | AC8-99D | CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 84.45 in |
| | AE8-99D | CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 81.45 in |
| | AE4-99D | CALC'D FRAME LENGTH - OVERALL: 275.39 |
| | AM6-99D | CALC'D SPACE AVAILABLE FOR DECKPLATE 84.45 in |
| | FSS-0LH | CALCULATED FRAME SPACE LH SIDE: 87.01 In |
| | FSS-0RH | CALCULATED FRAME SPACE RH SIDE: 89.52 in |
| | 553-001 | SQUARE END OF FRAME |
| | 550-001 | FRONT CLOSING CROSSMEMBER |
| | 559-001 | STANDARD WEIGHT ENGINE CROSSMEMBER |
| | 562-001 | STANDARD MIDSHIP #1 CROSSMEMBER(S) |
| | 572-001 | STANDARD REARMOST CROSSMEMBER |
| | 565-001 | STANDARD SUSPENSION CROSSMEMBER |



Data Code

Description

| Chassk | Equipment | |
|---------|-----------|--|
| | 556-1AP | THREE-PIECE 14 INCH PAINTED STEEL BUMPER WITH COLLAPSIBLE ENDS |
| | 558-001 | FRONT TOW HOOKS - FRAME MOUNTED |
| | 574-001 | BUMPER MOUNTING FOR SINGLE LICENSE PLATE |
| | 586-024 | FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS |
| | 551-007 | GRADE 8 THREADED HEX HEADED FRAME FASTENERS |
| Fuel Ta | nks | |
| | 204-215 | 50 GALLON/189 LITER SHORT RECTANGULAR ALUMINUM FUEL TANK - LH |
| | 218-005 | RECTANGULAR FUEL TANK(S) |
| | 215-005 | PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS |
| | 212-007 | FUEL TANK(S) FORWARD |
| | 664-001 | PLAIN STEP FINISH |
| | 205-001 | FUEL TANK CAP(S) |
| | 122-1H3 | DETROIT FUELWATER SEPARATOR WITH WATER IN FUEL SENSOR |
| | 216-020 | EQUIFLO INBOARD FUEL SYSTEM |
| | 202-016 | HIGH TEMPERATURE REINFORCED NYLON FUEL LINE |
| Tires | | |
| | 093-1NV | BRIDGESTONE R283A 11R22.5 14 PLY RADIAL FRONT TIRES |
| | 094-2D6 | BRIDGESTONE M770 11R22.5 14 PLY RADIAL REAR TIRES |
| Hubs | | |
| | 418-056 | CONMET PRESET PLUS IRON FRONT HUBS |
| | 450-056 | CONMET PRESET PLUS IRON REAR HUBS |
| Wheels | | |
| | 502-524 | MAXION WHEELS 90541 22.5X8.25 10-HUB PILOT 6.20 INSET 2-HAND STEEL DISC FRONT WHEELS |
| | 505-524 | MAXION WHEELS 90541 22.5X8.25 10-HUB PILOT 2-HAND STEEL DISC REAR WHEELS |
| | 496-011 | FRONT WHEEL MOUNTING NUTS |
| | 497-011 | REAR WHEEL MOUNTING NUTS |
| Cab Ext | erior | |



| | Data Code | Description |
|---|------------|---|
| | 829-071 | 106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB |
| | 650-008 | AIR CAB MOUNTS |
| | 648-002 | NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE |
| | 678-001 | LH AND RH GRAB HANDLES |
| | 646-009 | PAINTED PLASTIC GRILLE |
| | 65X-001 | ARGENT SILVER HOOD MOUNTED AIR INTAKE GRILLE |
| | 644-004 | FIBERGLASS HOOD |
| | O FIZICIAN | SINGLE 14 INCH ROUND POLISHED AIR HORN ROOF MOUNTED |
| | 726-001 | SINGLE ELECTRIC HORN |
| | 728-001 | SINGLE HORN SHIELD |
| | 657-1CV | DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME WITH (4) KEYS |
| | 575-001 | REAR LICENSE PLATE MOUNT END OF FRAME |
| | 327-012 | SWITCH, INDICATOR LIGHT AND WIRING FOR (2) CUSTOMER FURNISHED BEACONS |
| | 312-043 | INTEGRAL HEADLIGHT/MARKER ASSEMBLY |
| | 302-001 | (5) AMBER MARKER LIGHTS |
| | 311-001 | DAYTIME RUNNING LIGHTS |
| | 294-001 | INTEGRAL STOP/TAIL/BACKUP LIGHTS |
| | 300-015 | STANDARD FRONT TURN SIGNAL LAMPS |
| | 744-1BH | DUAL WEST COAST MOLDED-IN COLOR MIRRORS |
| | 797-001 | DOOR MOUNTED MIRRORS |
| | 796-001 | 102 INCH EQUIPMENT WIDTH |
| | 743-1AP | LH AND RH 8 INCH MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS |
| | 729-001 | STANDARD SIDE/REAR REFLECTORS |
| | 677-016 | DUAL LEVEL CAB ENTRY STEPS ON BOTH SIDES |
| | 275-061 | ELECTRIC HORN WARNING SYSTEM FOR PARK BRAKE NOT SET WITH DOOR OPEN AND ALL IGNITION KEY POSITIONS |
| | 768-043 | 63X14 INCH TINTED REAR WINDOW |
| | 661-003 | TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS |
| 4 | 1 1854-011 | RH AND LH ELECTRIC POWERED WINDOWS |
| | 663-013 | TINTED WINDSHIELD |
| | | |



| Data Code | Description | |
|------------------|--|--|
| 659-019 | 2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED | |
| Cab interior | AND ARCHIVE AND ARCHIVE | |
| 707-1AK | OPAL GRAY VINYL INTERIOR | |
| 706-013 | MOLDED PLASTIC DOOR PANEL | |
| 708-013 | MOLDED PLASTIC DOOR PANEL | |
| 772-006 | BLACK MATS WITH SINGLE INSULATION | |
| 785-001 | DASH MOUNTED ASH TRAYS AND LIGHTER | |
| 691-008 | FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING | |
| 694-010 | IN DASH STORAGE BIN | |
| 742-007 | (2) CUP HOLDERS LH AND RH DASH | |
| 680-006 | GRAY/CHARCOAL FLAT DASH | |
| 8 720-002 / | 2-1/2 LB. FIRE EXTINGUISHER | |
| 700-002 | HEATER, DEFROSTER AND AIR CONDITIONER | |
| 701-001 | STANDARD HVAC DUCTING | |
| 703-005 | MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH | |
| 170-015 | STANDARD HEATER PLUMBING | |
| 130-033 | DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR | |
| 702-002 | BINARY CONTROL, R-134A | |
| 739-033 | STANDARD INSULATION | |
| 285-013 | SOLID-STATE CIRCUIT PROTECTION AND FUSES | |
| 280-007 | 12V NEGATIVE GROUND ELECTRICAL SYSTEM | |
| 324-014 | DOME LIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS | |
| 655-005 | LH AND RH ELECTRIC DOOR LOCKS | |
| 284-023 | (1) 12 VOLT POWER SUPPLY IN DASH | |
| 4 722-002 | TRIANGULAR REFLECTORS WITHOUT FLARES | |
| 756-1J3 | BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION | |
| 760-235 | 2 MAN TOOL BOX MID BACK NON SUSPENSION PASSENGER SEAT | |
| 711-004 | LH AND RH INTEGRAL DOOR PANEL ARMRESTS | |
| 758-036 | VINYL WITH VINYL INSERT DRIVER SEAT | |
| 761-036 | VINYL WITH VINYL INSERT PASSENGER SEAT | |
| 763-101 | BLACK SEAT BELTS | |



| | Data Code | Description |
|---------|--------------|--|
| 2 | 533-092 | ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN |
| | 540-015 | 4-SPOKE 18 INCH (450MM) STEERING WHEEL |
| | 765-002 | DRIVER AND PASSENGER INTERIOR SUN VISORS |
| Instrun | nents & Conf | rols |
| | 732-004 | GRAY DRIVER INSTRUMENT PANEL |
| | 734-004 | GRAY CENTER INSTRUMENT PANEL |
| | 870-001 | BLACK GAUGE BEZELS |
| | 486-001 | LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM |
| | 840-002 | 2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES |
| | 198-025 | INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS |
| 3 | 721-001 | 97 DB BACKUP ALARM |
| - | 149-013 | ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL |
| | 156-007 | KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY |
| | 811-042 | ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED |
| | 160-038 | HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH |
| | 844-001 | 2 INCH ELECTRIC FUEL GAUGE |
| | 148-003 | PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE |
| | 856-001 | ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE |
| | 864-001 | 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE |
| | 830-017 | ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY |
| | 33A-802 | WIRING PROVISION FOR CUSTOMER FURNISHED ROOF MOUNTED STROBE/BEACON LIGHTS |
| | 372-051 | CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS |
| | 73B-998 | NO LANE DEPARTURE WARNING SYSTEM |
| | 852-002 | ELECTRIC ENGINE OIL PRESSURE GAUGE |
| | 746-114 | AWFMWB WORLD TUNER RADIO WITH AUXILIARY INPUT, J1939 |
| | 747-001 | DASH MOUNTED RADIO |
| | | |



Data Code

Description

• 10 •

| | Data Code | Description |
|--------|-----------|--|
| | 750-002 | (2) RADIO SPEAKERS IN CAB |
| | 753-001 | AW/FM ANTENNA MOUNTED ON FORWARD LH ROOF |
| | 810-027 | ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER |
| | 817-001 | STANDARD VEHICLE SPEED SENSOR |
| | 812-001 | ELECTRONIC 3000 RPM TACHOMETER |
| | 8D1-998 | NO DIRECT CONNECT |
| | 8Z1-998 | NO ZONAR SYSTEMS (SCO) |
| | 162-011 | IDLE LIMITER, ELECTRONIC ENGINE |
| | 482-001 | BW TRACTOR PROTECTION VALVE |
| | 883-001 | TRAILER HAND CONTROL BRAKE VALVE |
| | 836-015 | DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY |
| | 660-008 | SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY |
| | 304-001 | MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH |
| | 882-021 | TWO VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR |
| | 299-013 | SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHERWIPER AND HAZARD IN HANDLE |
| | 298-039 | INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS |
| | 869-998 | NO MISCELLANEOUS GAUGES |
| Design | | |
| | 065-000 | PAINT: ONE SOLID COLOR |
| Color | | |
| 100 | 980-5F6 | CAB COLOR A: L0006EB WHITE ELITE BC |
| | 986-020 | BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT |
| | 98K-998 | NO FUEL TANK CABINET PAINT |
| | 962-972 | POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW) |
| | 966-972 | POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW) |
| | 964-6Z7 | BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX |
| | 963-003 | STANDARD E COAT/UNDERCOATING |



Prepared by:
Bob Scharpnick
ORLANDO FREIGHTLINER
2455 S. ORANGE BLOSSOM TRAIL
APOPKA, FL 32703
Phone: 4072953846

Data Code

Description

Certification / Compliance

996-001

U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS

| Dealer Installe | d Options | | TO HIS READ | AUST . |
|-----------------|--|--------|-------------|--------|
| | | Weight | Weight | |
| | | Front | Rear | |
| STAKE | 5 CY DUMP BODY 25 TON PINTLE HITCH 4 CORNER STROBES AND 2 CSB SHIELD MTD STROBES | 0 | 0 | |
| | Total Dealer Installed Options | 0 lbs | 0 lbs | |



Orlando Freightliner Inc.
2455 S. Orange Biossom Trail
Apopka Fl. 32703
407-295-3846 ext 122
407-291-8408 fax
407-509-6651 cell

To Bill Darty/City of Boynton Beach

Orlando Freightliner is pleased to quote the following Freightliner M2 106 via the 2016-2017 Florida Sheriffs Association bid #FSA-16VEH 14.0.

| Spec #12 | | 39,720.00 |
|---|----|---------------|
| 33000GVW3500 see attachment 1 for full list of specifications | Þ | 25,819.00 |
| 477-006 | \$ | 84.00 |
| 452-001 | \$ | 773.00 |
| 532-002 | \$ | 477.00 |
| 654-011 | \$ | 226.00 |
| 727-1AH | \$ | 135.00 |
| 720-002/722-002 | \$ | 64.00 |
| HITCH | \$ | 1,699.00 |
| 019-001 | \$ | 1,117.00 |
| 297-001 | \$ | 890.00 |
| 590-001 | | INCL |
| 18STAKE | \$ | 13,269.00 |
| 545-517 | \$ | <i>573.00</i> |
| 721-001 | \$ | <i>59.00</i> |
| BUC | \$ | 1,350.00 |
| DEALER ADD CORNER AND BED STROBES | \$ | 1,772.00 |
| Total | \$ | 88,027.00 |

Sincerely, Bob Scharpnick Municipal Sales Orlando Freightliner Isuzu Truck of Ocala

Prepared by:
Bob Scharpnick
ORLANDO FREIGHTLINER
2455 S. ORANGE BLOSSOM TRAIL
APOPKA, FL 32703
Phone: 4072953846

SPECIFICATION PROPOSAL

| | Data Code | Description |
|---------|-------------|---|
| Price L | evel | |
| | PRL-14M | M2 PRL-14M (EFF:10/05/15) |
| Data Ve | rsion | |
| | DRL-012 | SPECPRO21 DATA RELEASE VER 012 |
| Vehicle | Configurati | |
| | 001-172 | M2 106 CONVENTIONAL CHASSIS |
| | 004-218 | 2018 MODEL YEAR SPECIFIED |
| | 002-004 | SET BACK AXLE - TRUCK |
| | 019-001 | TRAILER TOWING PROVISION AT END OF FRAME FOR TRUCK |
| | 003-001 | LH PRIMARY STEERING LOCATION |
| Genera | Service | |
| | AA1-003 | TRUCK/TRAILER CONFIGURATION |
| | AA6-001 | DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES) |
| | A85-011 | CONSTRUCTION SERVICE |
| | A84-1GM | GOVERNMENT BUSINESS SEGMENT |
| | AA4-003 | DRY BULK COMMODITY |
| | AA5-002 | TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS |
| | AB1-008 | MAXIMUM 8% EXPECTED GRADE |
| | AB5-001 | SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE |
| | 995-091 | MEDIUM TRUCK WARRANTY |
| | A66-99D | EXPECTED FRONT AXLE(S) LOAD: 12000.0 lbs |
| | A68-99D | EXPECTED REAR DRIVE AXLE(S) LOAD: 21000.0 lbs |
| | A63-99D | EXPECTED GROSS VÉHICLE WEIGHT CAPACITY : 33000.0 lbs |



Data Code

Description

| | Data Code | wescription |
|----------|----------------|--|
| | A70-99D | EXPECTED GROSS COMBINATION WEIGHT: 55000.0 lbs |
| Truck 8 | Service | |
| | AA3-005 | FLATBED/PLATFORM/STAKE BODY |
| | AF7-99D | EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES: 32.0 In |
| Tractor | Service | |
| | AA2-005 | FLATBED TRAILER |
| | AH6-001 | SINGLE (1) TRAILER |
| Engine | TIVE AT S.L. | |
| | 101-22M | CUM L9 260 HP @ 2200 RPM; 2200 GOV RPM, 720 LB/FT @ 1300 RPM |
| Electron | nic Paramete | |
| | 79A-073 | 73 MPH ROAD SPEED LIMIT |
| | 79B-000 | CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT |
| | 79K-007 | PTO MODE ENGINE RPM LIMIT - 1100 RPM |
| | 79P-002 | PTO RPM WITH CRUISE SET SWITCH - 700 RPM |
| | 79Q-003 | PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM |
| | 79S-001 | PTO MODE CANCEL VEHICLE SPEED - 5 MPH |
| | 79U-007 | PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND |
| | 80G-002 | PTO MINIMUM RPM - 700 |
| | 80J-002 | REGEN INHIBIT SPEED THRESHOLD - 5 MPH |
| Engine . | Equipment | |
| | 99C-017 | 2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION |
| | 99D-011 | 2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR) |
| | 13E-001 | STANDARD OIL PAN |
| | 105-001 | ENGINE MOUNTED OIL CHECK AND FILL |
| | 133-004 | ONE PIECE VALVE COVER |
| | 014-099 | SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER |
| | 124-1D7 | DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE |
| | 292-098 | (2) ALLIANCE MODEL 1231, GROUP 31, 12 VOLT MAINTENANCE FREE 2250 CCA THREADED STUD BATTERIES |
| | | |



| Data Code | Description |
|-----------|---|
| 290-017 | BATTERY BOX FRAME MOUNTED |
| 281-001 | STANDARD BATTERY JUMPERS |
| 282-001 | SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB |
| 291-017 | WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN |
| 289-001 | NON-POLISHED BATTERY BOX COVER |
| 107-032 | CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE |
| 108-002 | STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR |
| 131-013 | AIR COMPRESSOR DISCHARGE LINE |
| 152-041 | ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM |
| 128-076 | CUMMINS EXHAUST BRAKE INTEGRAL WITH VARIABLE GEOMETRY TURBO WITH ON/OFF DASH SWITCH |
| 016-1C3 | RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE |
| 28F-002 | ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH |
| 239-001 | STANDARD EXHAUST SYSTEM LENGTH |
| 237-052 | RH STANDARD HORIZONTAL TAILPIPE |
| 23U-001 | 6 GALLON DIESEL EXHAUST FLUID TANK |
| 30N-003 | 100 PERCENT DIESEL EXHAUST FLUID FILL |
| 43X-002 | LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION |
| 23Y-001 | STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING |
| 43Y-001 | STANDARD DIESEL EXHAUST FLUID TANK CAP |
| 273-018 | HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE |
| 276-001 | AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED |
| 110-003 | CUMMINS SPIN ON FUEL FILTER |
| 118-008 | COMBINATION FULL FLOW/BYPASS OIL FILTER |
| 120-009 | FLEETGUARD PLAIN COOLANT FILTER |
| 266-013 | 1100 SQUARE INCH ALUMINUM RADIATOR |
| 103-039 | ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT |
| 171-007 | GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT |



| Data Code | Description |
|------------------|---|
| 172-001 | CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES |
| 270-016 | RADIATOR DRAIN VALVE |
| 168-002 | LOWER RADIATOR GUARD |
| 134-001 | ALUMINUM FLYWHEEL HOUSING |
| 132-004 | ELECTRIC GRID AIR INTAKE WARMER |
| 155-058 | DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH |
| Transmission | |
| 342-584 | ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION |
| Transmission Equ | lipment |
| 343-320 | ALLISON VOCATIONAL PACKAGE 168 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODEL RDS |
| 84B-012 | ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES |
| 84C-023 | PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY |
| 84D-023 | SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY |
| 84E-013 | S1 PREFORMANCE PRIMARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY |
| 84F-012 | S1 PERFORMANCE SECONDARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY |
| 84G-000 | PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE |
| 84H-000 | SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE |
| 84L-000 | LOAD BASED SHIFT SCHEDULE AND VEHICLE ACCELERATION CONTROL RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED VOCATIONAL USAGE |
| 84N-000 | NEUTRAL AT STOP - DISABLED, FUELSENSE - DISABLED |
| 84U-000 | DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES |
| 34C-001 | ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED |



Data Code

Description

| Data Code | Description |
|---------------------|--|
| 362-157 | CUSTOMER INSTALLED MUNCIE CS20/CS24 SERIES PTO |
| 363-001 | PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION |
| 341-018 | MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN |
| 345-003 | PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED |
| 97G-004 | TRANSMISSION PROGNOSTICS - ENABLED 2013 |
| 370-015 | WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK |
| 346-003 | TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK |
| 35T-001 | SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT) |
| Front Axle and Equ | ipment |
| 400-1A6 | DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE |
| 402-020 | MERITOR 15X4 Q+ CAM FRONT BRAKES |
| 403-002 | NON-ASBESTOS FRONT BRAKE LINING |
| 419-023 | CONMET CAST IRON FRONT BRAKE DRUMS |
| 409-021 | SKF SCOTSEAL PLUS XL FRONT OIL SEALS |
| 408-001 | VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL |
| 416-022 | STANDARD SPINDLE NUTS FOR ALL AXLES |
| 405-002 | MERITOR AUTOMATIC FRONT SLACK ADJUSTERS |
| 536-050 | TRW THP-60 POWER STEERING |
| 539-003 | POWER STEERING PUMP |
| 534-015 | 2 QUART SEE THROUGH POWER STEERING RESERVOIR |
| 40T-002 | SYNTHETIC 75W-90 FRONT AXLE LUBE |
| Front Suspension | |
| 620-1F0 | 12,000# DUAL TAPERLEAF FRONT SUSPENSION |
| 619-005 | MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION |
| 62H-998 | NO FRONT SUSPENSION SPRING BRACKET OPTIONS |
| 410-001 | FRONT SHOCK ABSORBERS |
| Rear Axle and Equip | pment |
| 420-009 | RS-21-160 21,000# R-SERIES SINGLE REAR AXLE |





| Data Code | Description |
|-----------------|---|
| 421-563 | 5.63 REAR AXLE RATIO |
| 424-001 | IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING |
| 386-076 | MXL 17N MERITOR EXTENDED LUBE MAIN DRIVELINE WITH FULL ROUND YOKES |
| 452-001 | DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE |
| 878-018 | (1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE |
| 87B-004 | BLINKING LAMP WITH EACH MODE SWITCH, DIFFERENTIAL UNLOCK WITH IGNITION OFF, ACTIVE <5 MPH |
| 423-020 | MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES |
| 433-002 | NON-ASBESTOS REAR BRAKE LINING |
| 434-011 | BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) |
| 451-023 | CONMET CAST IRON REAR BRAKE DRUMS |
| 440-021 | SKF SCOTSEAL PLUS XL REAR OIL SEALS |
| 426-074 | HALDEX GOLDSEAL LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS |
| 428-002 | MERITOR AUTOMATIC REAR SLACK ADJUSTERS |
| 41T-002 | SYNTHETIC 75W-90 REAR AXLE LUBE |
| Rear Suspension | |
| 622-1MJ | 23,000# 52 INCH VARIABLE RATE MULTI-LEAF SPRING REAR SUSPENSION WITH LEAF SPRING HELPER |
| 621-001 | SPRING SUSPENSION - NO AXLE SPACERS |
| 431-001 | STANDARD AXLE SEATS IN AXLE CLAMP GROUP |
| Brake System | |
| 018-002 | AIR BRAKE PACKAGE |
| 490-100 | WABCO 4S/4M ABS WITHOUT TRACTION CONTROL |
| 871-001 | REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES |
| 904-001 | FIBER BRAID PARKING BRAKE HOSE |
| 412-001 | STANDARD BRAKE SYSTEM VALVES |
| 46D-002 | STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM |
| 413-002 | STD U.S. FRONT BRAKE VALVE |





| | Data Code | Description |
|---------|------------------|--|
| | 565-001 | STANDARD SUSPENSION CROSSMEMBER |
| Chassis | Equipment | |
| | 556-1AP | THREE-PIECE 14 INCH PAINTED STEEL BUMPER WITH COLLAPSIBLE ENDS |
| | 558-001 | FRONT TOW HOOKS - FRAME MOUNTED |
| | 574-001 | BUMPER MOUNTING FOR SINGLE LICENSE PLATE |
| | 586-024 | FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS |
| | 551-007 | GRADE 8 THREADED HEX HEADED FRAME FASTENERS |
| Fuel Ta | nks | |
| | 204-215 | 50 GALLON/189 LITER SHORT RECTANGULAR ALUMINUM FUEL TANK - LH |
| | 218-005 | RECTANGULAR FUEL TANK(S) |
| | 215-005 | PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS |
| | 212-007 | FUEL TANK(S) FORWARD |
| | 664-001 | PLAIN STEP FINISH |
| | 205-001 | FUEL TANK CAP(S) |
| | 122-1H3 | DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR |
| | 216-020 | EQUIFLO INBOARD FUEL SYSTEM |
| | 202-016 | HIGH TEMPERATURE REINFORCED NYLON FUEL LINE |
| Tires | | |
| | 093-1NV | BRIDGESTONE R283A 11R22.5 14 PLY RADIAL FRONT TIRES |
| | 094-2D6 | BRIDGESTONE M770 11R22.5 14 PLY RADIAL REAR TIRES |
| Hubs | | |
| | 418-056 | CONMET PRESET PLUS IRON FRONT HUBS |
| | 450-056 | CONMET PRESET PLUS IRON REAR HUBS |
| Wheels | | |
| | 502-524 | MAXION WHEELS 90541 22.5X8.25 10-HUB PILOT 6.20 INSET 2-HAND STEEL DISC FRONT WHEELS |
| | 505-524 | MAXION WHEELS 90541 22.5X8.25 10-HUB PILOT 2-HAND STEEL DISC REAR WHEELS |
| | 496-011 | FRONT WHEEL MOUNTING NUTS |
| | 497-011 | REAR WHEEL MOUNTING NUTS |



| Data Code | Description |
|----------------------|---|
| Cab Exterior | |
| 82 9 -071 | 106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB |
| 650-008 | AIR CAB MOUNTS |
| 648-002 | NONRÉMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE |
| 678-001 | LH AND RH GRAB HANDLES |
| 646-009 | PAINTED PLASTIC GRILLE |
| 65X-001 | ARGENT SILVER HOOD MOUNTED AIR INTAKE GRILLE |
| 644-004 | FIBERGLASS HOOD |
| 727-1AH | SINGLE 14 INCH ROUND POLISHED AIR HORN ROOF MOUNTED |
| 726-001 | SINGLE ELECTRIC HORN |
| 728-001 | SINGLE HORN SHIELD |
| 657-1CV | DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME WITH (4) KEYS |
| 575-001 | REAR LICENSE PLATE MOUNT END OF FRAME |
| 327-012 | SWITCH, INDICATOR LIGHT AND WIRING FOR (2) CUSTOMER FURNISHED BEACONS |
| 312-043 | INTEGRAL HEADLIGHT/MARKER ASSEMBLY |
| 302-001 | (5) AMBER MARKER LIGHTS |
| 311-001 | DAYTIME RUNNING LIGHTS |
| 294-001 | INTEGRAL STOP/TAIL/BACKUP LIGHTS |
| 300-015 | STANDARD FRONT TURN SIGNAL LAMPS |
| 744-1BH | DUAL WEST COAST MOLDED-IN COLOR MIRRORS |
| 797-001 | DOOR MOUNTED MIRRORS |
| 796-001 | 102 INCH EQUIPMENT WIDTH |
| 743-1AP | LH AND RH 8 INCH MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS |
| 729-001 | STANDARD SIDE/REAR REFLECTORS |
| 677-016 | DUAL LEVEL CAB ENTRY STEPS ON BOTH SIDES |
| 275-061 | ELECTRIC HORN WARNING SYSTEM FOR PARK BRAKE NOT SET WITH DOOR OPEN AND ALL IGNITION KEY POSITIONS |
| 768-043 | 63X14 INCH TINTED REAR WINDOW |
| 661-003 | TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WIND WINDOWS |
| 654-011 | RH AND LH ELECTRIC POWERED WINDOWS |
| 663-013 | TINTED WINDSHIELD |
| | |



| Data | Code | Description |
|--------------|------|--|
| 659-0 | 19 | 2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED |
| Cab Interior | | |
| 707-1 | AK | OPAL GRAY VINYL INTERIOR |
| 706-0 | 13 | MOLDED PLASTIC DOOR PANEL |
| 708-0 | 13 | MOLDED PLASTIC DOOR PANEL |
| 772-0 | 06 | BLACK MATS WITH SINGLE INSULATION |
| 785-0 | 01 | DASH MOUNTED ASH TRAYS AND LIGHTER |
| 691-0 | 80 | FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING |
| 694-0 | 10 | IN DASH STORAGE BIN |
| 742-0 | 07 | (2) CUP HOLDERS LH AND RH DASH |
| 680-0 | 06 | GRAY/CHARCOAL FLAT DASH |
| 720-0 | 02 | 2-1/2 LB. FIRE EXTINGUISHER |
| 700-0 | 02 | HEATER, DEFROSTER AND AIR CONDITIONER |
| 701-0 | 01 | STANDARD HVAC DUCTING |
| 703-00 | 05 | MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH |
| 170-01 | 15 | STANDARD HEATER PLUMBING |
| 130-03 | 33 | DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR |
| 702-00 |)2 | BINARY CONTROL, R-134A |
| 739-03 | 33 | STANDARD INSULATION |
| 285-01 | 13 | SOLID-STATE CIRCUIT PROTECTION AND FUSES |
| 280-00 | 7 | 12V NEGATIVE GROUND ELECTRICAL SYSTEM |
| 324-01 | 14 | DOME LIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS |
| 655-00 |)5 | LH AND RH ELECTRIC DOOR LOCKS |
| 284-02 | 23 | (1) 12 VOLT POWER SUPPLY IN DASH |
| 722-00 |)2 | TRIANGULAR REFLECTORS WITHOUT FLARES |
| 756-1. | 13 | BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION |
| 760-23 | 35 | 2 MAN TOOL BOX MID BACK NON SUSPENSION PASSENGER SEAT |
| 711-00 |)4 | LH AND RH INTEGRAL DOOR PANEL ARMRESTS |
| 758-03 | 36 | VINYL WITH VINYL INSERT DRIVER SEAT |
| 761-03 | 36 | VINYL WITH VINYL INSERT PASSENGER SEAT |
| 763-10 |)1 | BLACK SEAT BELTS |
| | | |



Data Code

Description

| | Data Code | Description |
|--------|-------------|--|
| | 532-002 | ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN |
| | 540-015 | 4-SPOKE 18 INCH (450MM) STEERING WHEEL |
| | 765-002 | DRIVER AND PASSENGER INTERIOR SUN VISORS |
| Instru | ments & Con | trols trols |
| | 732-004 | GRAY DRIVER INSTRUMENT PANEL |
| | 734-004 | GRAY CENTER INSTRUMENT PANEL |
| | 870-001 | BLACK GAUGE BEZELS |
| | 486-001 | LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM |
| | 840-002 | 2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES |
| | 198-025 | INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS |
| | 721-001 | 97 DB BACKUP ALARM |
| | 149-013 | ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL |
| | 156-007 | KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY |
| | 811-042 | ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED |
| | 160-038 | HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH |
| | 844-001 | 2 INCH ELECTRIC FUEL GAUGE |
| | 148-003 | PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE |
| | 856-001 | ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE |
| | 864-001 | 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE |
| | 830-017 | ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY |
| | 33A-802 | WIRING PROVISION FOR CUSTOMER FURNISHED ROOF MOUNTED STROBE/BEACON LIGHTS |
| | 372-051 | CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS |
| | 73B-998 | NO LANE DEPARTURE WARNING SYSTEM |
| | 852-002 | ELECTRIC ENGINE OIL PRESSURE GAUGE |
| | 746-114 | AM/FMWB WORLD TUNER RADIO WITH AUXILIARY INPUT, J1939 |
| | 747-001 | DASH MOUNTED RADIO |
| | | |



Data Code

Description

| | DEST COOP | Description |
|--------|----------------|--|
| | 750-002 | (2) RADIO SPEAKERS IN CAB |
| | 753-001 | AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF |
| | 810-027 | ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER |
| | 817-001 | STANDARD VEHICLE SPEED SENSOR |
| | 812-001 | ELECTRONIC 3000 RPM TACHOMETER |
| | 8D1-998 | NO DIRECT CONNECT |
| | 8Z1-998 | NO ZONAR SYSTEMS (SCO) |
| | 162-011 | IDLE LIMITER, ELECTRONIC ENGINE |
| | 482-001 | BW TRACTOR PROTECTION VALVE |
| | 883-001 | TRAILER HAND CONTROL BRAKE VALVE |
| | 836-015 | DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY |
| | 660-008 | SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY |
| | 304-001 | MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH |
| | 882-021 | TWO VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR |
| | 299-013 | SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHERWIPER AND HAZARD IN HANDLE |
| | 298-039 | INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS |
| | 869-998 | NO MISCELLANEOUS GAUGES |
| Design | STREET, STREET | |
| | 065-000 | PAINT: ONE SOLID COLOR |
| Color | 14 P. 37 | |
| | 980-5F6 | CAB COLOR A: L0006EB WHITE ELITE BC |
| | 986-020 | BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT |
| | 98K-998 | NO FUEL TANK CABINET PAINT |
| | 962-972 | POWDER WHITE (N0008EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW) |
| | 966-972 | POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW) |
| | 964-6Z7 | BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX |
| | 963-003 | STANDARD E COAT/UNDERCOATING |



Prepared by:
Bob Scharpnick
ORLANDO FREIGHTLINER
2455 S. ORANGE BLOSSOM TRAIL
APOPKA, FL 32703
Phone: 4072953846

Data Code

Description

Certification / Compliance

996-001

U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS

| paler installe | d Options | SAUTH OF THE | | 1515 |
|----------------|---|--------------|--------|------|
| | | Weight | Weight | |
| | | Front | Rear | |
| STAKE | 18 FOOT STAKE BODY WITH 40 IN HIGH SIDES 25 TON PINTLE HITCH 4 CORNER STROBES AND 2 HEADBOARD MTD STROBES | 0 | 0 | |
| | Total Dealer Installed Options | 0 lbs | 0 lbs | |







FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

| Name of Dealership | Type of Vehicle | Zone | Base Unit Price | | | | |
|---|-----------------------------|-------------------|--------------------|--|--|--|--|
| 30.000 LB. GVWR CAB & CHASSIS (DUAL REAR WHEEL) - 4X2 (Specification #12) | | | | | | | |
| Rush Truck Center, Tampa | 2017 Hino 338 | Western | \$61,940.00 | | | | |
| Rush Truck Center, Tampa | 2017 Hino 338 | Northern | \$61,940.00 | | | | |
| Rush Truck Center, Tampa | 2017 Hino 338 | Central | \$61,940.00 | | | | |
| Rush Truck Center, Tampa | 2017 Hino 338 | Southern | \$61,940.00 | | | | |
| Palmetto Ford | 2017 Ford F-750 (F7D) | Western | \$47,250.00 | | | | |
| Palmetto Ford | 2017 Ford F-750 (F7D) | Northern | \$47,250.00 | | | | |
| Palmetto Ford | 2017 Ford F-750 (F7D) | Central | \$47,250.00 | | | | |
| Palmetto Ford | 2017 Ford F-750 (F7D) | Southern | \$47,250.00 | | | | |
| Orlando Freightliner | 2017 Freightliner M2 | ★Western | \$39,720.00 | | | | |
| Orlando Freightliner | 2017 Freightliner M2 | ★Northern | \$39,720.00 | | | | |
| Orlando Freightliner | 2017 Freightliner M2 | ★Central | \$39,720.00 | | | | |
| Orlando Freightliner | 2017 Freightliner M2 | ★ Southern | \$39,720.00 | | | | |
| Maudlin International Trucks LLC | 2017 International Durastar | Western | \$61,230.00 | | | | |
| Maudlin International Trucks LLC | 2017 International Durastar | Northern | \$60,230.00 | | | | |
| SUN STATE INTERNATIONAL TRUCKS | 2017 International Durastar | Central | \$59,945.00 | | | | |
| Rechtien International Trucks, Inc | 2017 International Durastar | Southern | \$59,263.00 | | | | |
| KENWORTH OF JACKSONVILLE | 2017 Kenworth T370 | Western | \$67,972.00 | | | | |
| KENWORTH OF JACKSONVILLE | 2017 Kenworth T370 | Northern | \$67,722.00 | | | | |
| Kenworth of Central Florida | 2017 Kenworth T370 | Central | \$68,972.00 | | | | |
| KENWORTH OF SOUTH FLORIDA | 2017 Kenworth T370 | Southern | \$67,408.00 | | | | |
| Rush Truck Center, Tampa | 2017 Peterbilt 337 | Western | \$69,980.00 | | | | |
| Rush Truck Center, Tampa | 2017 Peterbilt 337 | Northern | \$69,980.00 | | | | |
| Rush Truck Center, Tampa | 2017 Peterbilt 337 | Central | \$69,980.00 | | | | |
| Palm Peterbilt Truck Center Inc | 2017 Peterbilt 337 | Southern | \$70,809.00 | | | | |
| Tampa Truck Center | 2017 Western Star 4700 | Western | \$76,783.00 | | | | |
| Tampa Truck Center | 2017 Western Star 4700 | Northern | \$76,783.00 | | | | |
| Tampa Truck Center | 2017 Western Star 4700 | Central | \$76,783.00 | | | | |
| Tampa Truck Center | 2017 Western Star 4700 | Southern | \$76,783.00 | | | | |





FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

30,000 LB. GVWR CAB & CHASSIS (DUAL REAR WHEEL) - 4X2 SPECIFICATION #12

2017 Hino 338 2017 Ford F-750 (F7D) 2017 Freightliner M2 2017 International Durastar 2017 Kenworth T370 2017 Peterbilt 337 2017 Western Star 4700

Listed above you will find the model numbers of the vehicles that will be included in this year's contract. All items factory installed unless otherwise noted.

1. ENGINE:

a. Diesel engine, minimum 200 HP

2. TRANSMISSION/AXLES:

- a. Manufacturers standard automatic transmission (with PTO provision) minimum, or approved equivalent.
- b. 21,000 lb. rear
- c. All axles, synthetic lube.

3. PERFORMANCE ITEMS:

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. COMFORT ITEMS:

- a. Air conditioning, factory installed.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Heavy duty rubber floor covering instead of carpet.
- e. Manufacturer's standard production seats. Purchaser will select color at time of order.
- f. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. SAFETY ITEMS:

- a. Dual mount outside mirrors must provide a field of vision for vehicles to 102" width, and for towing.
- b. Convex mirrors mounted below standard mirrors.
- c. Interior dome lights with left and right door activated switches.

6. BRAKES:

- a. Factory air brakes
- b. Anti-lock brake system

7. TIRES AND WHEELS:

- a. BSW 11R22.5 (14 PR) or approved equivalent, front and rear.
- b. Oil bath hubs, with synthetic lube.

8. CHASSIS, FRAME, CAB:

- a, Minimum 30,000 lbs. GVWR.
- b. Cab & chassis only.
- c. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- d. Manufacturer's standard front bumper, bright or painted.
- e. Factory front tow hooks.
- f. Fuel tank capacity, 45 gallons minimum.
- g. Cab to center of rear axle 84" approximately.

Disclosure: The Florida Sheriffs Association working in conjunction with manufacturers, dealers and distributors of vehicles/equipment does their best to ensure Model names, numbers and codes represent the latest information available at the time the bid documents are prepared. However, do to the nature of the business, it is recommended that you confirm this information with your dealer representative at the time you are requesting a confirming quote.





30,000 LB. GVWR CAB & CHASSIS (DUAL REAR WHEEL) - 4X2 SPECIFICATION #12

2017 Freightliner M2

The Freightliner M2 purchased through this contract comes with all the standard equipment as specified by the manufacturer for this model and FSA's base vehicle specification(s) requirements which are included and made a part of this contract's vehicle base price as awarded by specification by zone.

 ZONE:
 ★ Western
 ★ Northern
 ★ Central
 ★ Southern

 BASE PRICE:
 \$39,720.00
 \$39,720.00
 \$39,720.00
 \$39,720.00

While the Florida Sheriffs Association and Florida Association of Counties have attempted to identify and include those equipment items most often requested by participating agencies for full size vehicles, we realize equipment needs and preferences are going to vary from agency to agency. In an effort to incorporate flexibility into our program, we have created specific add/delete options which allow the purchaser to tailor the vehicle to their particular wants or needs.

The following equipment delete and add options and their related cost are provided here to assist you in approximating the total cost of the type vehicle(s) you wish to order through this program. Simply deduct the cost of any of the following equipment items you wish deleted from the base unit cost and/or add the cost of any equipment items you wish added to the base unit cost to determine the approximate cost of the type vehicle(s) you wish to order.

NOTE: An official listing of all add/delete options and their prices should be obtained from the appropriate dealer in your zone when preparing your order. Additional add/delete options other than those listed here may be available through the dealers, however, those listed here must be honored by the dealers in your zone at the stated prices.

| V | 3) F | IC | LE | C |
|---|------|----|----|---|
| | | | | |

M2

DEALER:

Orlando Freightliner

Orlando Freightliner

Orlando Freightliner

Orlando Freightliner

ZONE:

★Western

Northern

*Central

Southern

BASE PRICE:

\$39,720.00

\$39,720.00

\$39,720.00

\$39,720.00

| Order Code | Delete Options | All Zones |
|----------------------|---|-------------------------|
| | Gas engine in lieu of diesel | NA |
| 342-1CB ¹ | Provide 6 speed manual with base engine - specify | \$1,918.00 ¹ |
| | Provide 7 speed manual with base engine - specify | NA |
| | Air brakes if compatible with transmission | NA NA |
| | Wheel seals | NA |
| 746-998 ¹ | AM/FM stereo radio | Std ¹ |
| | Satellite radio | NA NA |
| | On-Star | NA NA |
| | Power Take Off (PTO) | NA |

Order Code

Add Options

All Zones

Vendor must demonstrate a discount percentage off of the MSRP or Published Price for non-scheduled options and any optional models bid. This discount only applies to a downgrade/upgrade to the model listed within the specification.

| 101-2N6 ¹ | Engine/transmission upgrade - specify 280HP ISB 3500RDS 1 | \$11,928.00 ¹ |
|----------------------|---|----------------------------|
| 101-2N7 ¹ | Engine/transmission upgrade - specify 300HP ISB 3500RDS 1 | \$12,804.00 ¹ |
| 101-2XG ¹ | Engine/transmission upgrade - specify 260HP ISL 3500RDS 1 | \$16,901.00 ¹ |
| 101-2XE ¹ | Engine/transmission upgrade - specify 300HP ISL 3500RDS 1 | \$18,418.00 ¹ |
| 101-2XP ¹ | Engine/transmission upgrade - specify 330HP ISL 3500RDS 1 | \$21,014.00 ¹ |
| 101-2N0 ¹ | Engine/transmission upgrade - specify 345HP ISL 3000RDS 1 | \$24,725.00 ¹ |
| | Engine/transmission upgrade - specify | NA |
| | Engine/transmission upgrade - specify | NA |
| | Bi-fuel model - specify | NA I |
| 206-201 1 | CNG prep - specify PONY TANK AND FILL RECEPTICALS 1 | \$66,546.00 ¹ |
| 230-064 | CNG conversion (discuss with dealer) 320HP ISLG-3000RDS-60DGE TANKS MOUNTED BOC 1 | \$82,960.00 ¹ 1 |
| | LPG conversion (discuss with dealer) | NA |
| | Engine hour meter | Std |

| VEHICLE: | M2 | | | |
|-------------------------------|---|--|-----------------------------|--------------------------------|
| DEALER: | Orlando Freightliner | Orlando Freightliner | Orlando Freightliner | Orlando Freightliner |
| ZONE: | *Western | ★Northern | *Central | Southern |
| BASE PRICE: | \$39,720.00 | \$39,720.00 | \$39,720.00 | \$39,720.00 |
| 864-001 ¹ | Trans oil temp meter | | | \$8.00 |
| | Allison authorized synthet | tic oil, TES 295 or equival | ent (required for extended | warranty) Std |
| | Premium hoses | | | Std |
| 206-192 ¹ | Dual 45 gallon fuel tanks | | | \$819.00 ¹ |
| | Air dryers | | | Std |
| 477-006 ¹ | Moisture ejectors | | | \$84.00 ¹ |
| 452-001 ¹ | Driver controlled different | ial lock | | \$773.00 ¹ |
| | Power windows, only | | | NA |
| 654-011 ¹ | Power windows/door lock | 3 | | \$226.00 ¹ |
| | Speed control | | | Std |
| | Tilt steering wheel | | | NA |
| 532-002 ¹ | Telescopic and tilt steering | ; wheel | | \$477.00 ¹ |
| 746-1B0 ¹ | AM/FM radio with single | CD | | \$553.00 ¹ |
| | Side air bags | | | NA |
| 3K ¹ | Third key | | | \$18.00 ¹ |
| 400-101 1 | Upgrade to 4x4 (specify fa | ctory or after market) | | \$32,316.00 ¹ |
| | Model upgrade - specify | | | NA |
| | Model upgrade - specify | | | NA |
| 829-079 ¹ | Crew cab (84" CA) | | | \$13,375.00 ¹ |
| 829-075 ¹ | Super cab (84" CA) | | | \$7,296.00 ¹ |
| 682-050 ¹ | Cutaway cab | | | \$1,656.00 ¹ |
| 744-103 ¹ | Optional cab and chassis ed BRIGHT LIGHTED HEATED MI | quipment - specify RRORS 1 | | \$445.00 ¹ |
| 016-1C2 ¹ | Optional cab and chassis ed | puipment - specify | | \$851.00 ¹ |
| 353 -0 27 ¹ | Optional cab and chassis ec | puipment - specify AND POWER DIST MODULE 1 | | \$793.00 ¹ |
| | Optional cab and chassis eq | uipment - specify | | NA |
| | Optional cab and chassis eq | uipment - specify | | NA |
| 316-035 1 | Left-hand pillar mounted 6" spotlight with clear halogen bulb, dealer installed FACTORY INSTALLED 1 | | | \$774.00 ¹ |
| 3016-033 ¹ | Left & right-hand pillar mo | unted 6" spotlight with cle | ar halogen bulb, dealer ins | talled \$1,274.00 ¹ |
| | Vent visors - stick-on style | | | NA |
| | Rainshields - flange style | | | NA |
| | Spray-in liner (Rhino, Line- | X or approved equivalent) | | NA |

| VEHICLE: DEALER: | M2 | | | |
|-----------------------------|--|-----------------------------|----------------------|--------------------------------------|
| ZONE: | Orlando Freightliner | Orlando Freightliner | Orlando Freightliner | Orlando Freightliner |
| BASE PRICE: | *Western | Northern | ★ Central | Southern |
| DASE PRICE: | \$39,720.00 | \$39,720.00 | \$39,720.00 | \$39,720.00 |
| TOOL BOX ¹ | Knapheide under body too | l boxes or approved equiv | alent | \$809.00 |
| 74B-080 ¹ | Fender or cowl mounted c | onvex mirrors | | \$155.00 ¹ |
| 727-1AH ¹ | Airhorn | | | \$135.00 ¹ |
| 720-002/722-002 1 | Safety kit, fire extinguishe | rs & triangles | | \$64.00 ¹ |
| 629-004 ¹ | Front stabilizer bars | | | \$494.00 ¹ |
| | Rear shock absorbers | | | NA |
| 622-1MG ¹ | Auxiliary rear springs 21K WITH HELPER 1 | | | \$167.00 ¹ |
| 122-1G1 ¹ | Heated fuel water separato | r | | \$260.00 ¹ |
| | Tractor brake package (30, | 000 GVWR only) | | NA |
| HITCH 1 | Trailer towing package - specify 25 TON PINTLE HITCH-REQUIRES 33000GVWR PKG AND 019-001 | | | \$1,699.00 ¹ |
| 019-001 1 | Trailer towing package for air operated trailer brakes AIR LINES AND GLAD HANDS TO END OF FRAME 1 | | | \$1,117.00 ¹ |
| 297-001 ¹ | Trailer towing package for electric operated trailer brakes TRAILER TOW PLUG AT END OF FRAME-REQUIRES ADDL HITCH 1 | | | \$890.00 ¹ |
| 590-001 ¹ | Mud flaps | | | \$140.00 ¹ |
| 510-16G ¹ | Full size spare tire & rim | Full size spare tire & rim | | |
| 794-007 ¹ | Jack and wheel wrench | | | \$352.00 ¹ |
| | Nitrogen filled tires includi | ng spare tire | | NA |
| 311-001 ¹ | Daytime running lights | | | \$20.00 ¹ |
| | Immobilize daytime runnin | g lights | | NA i |
| 6132D54J | Knapheide 6132 utility bod | y or approved equivalent (| requires 84" CA) | \$10,144.00 ¹ |
| 11' 3 YD ¹ | Heil 2-3 yd. dump body with manual ground control tarp or approved equivalent (requires 84" CA) | | | t (requires \$20,467.00 ¹ |
| 10' 5YD ¹ | 5 yd. dump with manual gro | ound control tarp (requires | 84" CA) | \$20,335.00 ¹ |
| 12STAKE ¹ | 12 ft. flat stake body with 4 | 0" sides all around (requir | es 84" CA) | \$11,453.00 ¹ |
| 12CONTR 1 | 12 ft. contractors dump with manual ground control tarp, 14" sides (requires 84" CA) | | | CA) \$17,938.00 ¹ |
| 14STAKE ¹ | 14 ft. flat stake body with 40" sides all around (requires 108" CA) | | | \$11,980.00 ¹ ; |
| 14CONTR 1 | 14 ft. contractors dump with manual ground control tarp, 14" sides (requires 108" CA) | | | "CA) \$21,755.00 ¹ |
| 16STAKE ¹ | 16 ft. flat stake body with 40" sides all around (requires 120" CA) | | | \$12,521.00 ¹ |
| 16CONTR 1 | 16 ft. contractors dump with manual ground control tarp, 14" sides (requires 120" CA) | | | |
| 18STAKE ¹ | 18 ft. flat stake body with 4 | | | \$13,269.00 ¹ |
| | 19 ft. rollback wrecker with | | , | NA |
| 20STAKE 1 | 20 ft. flat stake body with 4 | ` . | , | \$13,693.00 ¹ |
| 20VAN 1 | 20 ft. van roll up door (requ | | , | \$14,217.00 ¹ |

| VEHICLE: | М2 | | | |
|----------------------------|---|---|---------------------------|----------------------------------|
| DEALER: | Orlando Freightliner | Orlando Freightliner | Orlando Freightliner | Orlando Freightliner |
| ZONE: | ★Western | Northern | ★ Central | Southern |
| BASE PRICE: | \$39,720.00 | \$39,720.00 | \$39,720.00 | \$39,720.00 |
| 24VAN ¹ | 24 ft. van roll up door (requ | uires 186" CA) | | \$15,155.00 ¹ |
| 24STAKE 1 | 24 ft. flat stake body with 4 | 0" sides all around (requir | res 186" CA) | \$14,119.00 ¹ |
| TL3 ¹ | Optional body - specify PETERSEN INDUSTRIES TL3 18. | 24 QUADSTICK JOY STICKS T | OOL BOX 1 | \$64,482.00 ¹ |
| RS3 ¹ | Optional body - specify PETERSEN INDUSTRIES REAR S | STEAR BACKUP CAMERA OUT | TRIGGERS 1 | \$96,531.00 ¹ |
| POTHOLE 1 | Optional body - specify BERGKAMP FP5 POT HOLE PA | TCHER-REQUIRES 35000 GVN | VR 1 | \$105,962.00 ¹ |
| CHIPPER 1 | Optional body - specify 16' CHIPPER BODY WITH TOW | PACKAGE 1 | | \$24,313.00 ¹ |
| VAC-TRON ¹ | Optional body - specify VAC-TRON 800 GALLON HTV 87 | 3 VACUUM WITH HYDRAULK | C DUMP 1 | \$89,543.00 ¹ |
| VIPER13RL ¹ | Optional body - specify NEWAY VIPER 13CY REAR LOAL | DER 1 | | \$55,422.00 ¹ |
| VIPOR20RL ¹ | Optional body - specify NEWAY VIPOR 20CY REAR LOAL | DER | | \$59,525.00 ¹ |
| BRIDGEPORT | Optional body - specify RANGER SERIES 12CY 1 | | | \$115,900.001 |
| | Powder coating for utility be | ody | | NA |
| 545-422 ¹ | 108" cab to axle | | | Incl. ¹ |
| 545-475 ¹ | 120" cab to axle | | | \$404.00 ¹ |
| 545-517 ¹ | 138" cab to axle | | | \$573.00 ¹ |
| 545-565 ¹ | 156" cab to axle | | | \$573.00 ¹ |
| 545-625 ¹ | 180" cab to axle | | | \$1,488.00 ¹ |
| 545-640 ¹ | 186" cab to axle | | | \$1,488.00 ¹ |
| 33000GVW53000 ¹ | 33,000 GVWR Pok minim approved equivalent - see op 33000 GCW PKG INCLUDES CUA | tional wheelbase prices | - | DS), or \$25,893.00 ¹ |
| 33000GVW53500 ¹ | 33,000 GVWR Pck minim approved equivalent - see op | | natic transmission (3500R | DS), or \$25,819.00 ¹ |
| 33000GVW3000 ¹ | 33,000 GVWR Pck minim approved equivalent - see op | um 230 HP, 6 speed auton | natic transmission (3000R | DS), or \$25,893.00 ¹ |
| 33000GVW3500 ¹ | 33,000 GVWR Pck minim approved equivalent - see op 33000 GVW PKG INCLUDES CUM | um 230 HP, 6 speed auton tional wheelbase prices | • | DS), or \$25,819.00 ¹ |
| 400-103 ¹ | 33,000 GVWR factory appro CUMMINS ISL-3500RDS-MERITO | | ERTICAL EXHAUST 1 | \$52,973.00 ¹ |
| 33000108 1 | 33,000 GVWR 108" CA | | | \$25,903.00 ¹ |
| 33000120 1 | 33,000 GVWR 120" CA | | | \$26,307.00 ¹ |
| 33000156 1 | 33,000 GVWR 156" CA | | | \$26,467.00 ¹ |

| VEHICLE: | M2 | | | | |
|--------------------------------|---|----------------------------|-----------------------------|----------------------------|-----------------------------|
| DEALER: ZONE: | Orlando Freightliner | Orlando Freightliner | Orlando Freightliner | | reightliner |
| BASE PRICE: | *Western | Northern | *Central | Souther | |
| DASE PRICE; | \$39,720.00 | \$39,720.00 | \$39,720.00 | \$39,720.0 | 0 |
| 330001 8 0 ¹ | 33,000 GVWR 180" CA | | | | \$27,391.00 ¹ |
| 33000186 ¹ | 33,000 GVWR 186" CA | | | | \$27,391.00 ¹ |
| 35000GVW ¹ | GVWR and CA upgrade - 1 | specify | | | \$25,739.00 ¹ |
| 37000GVW ¹ | GVWR and CA upgrade - s | specify | | | \$28,632.00 ¹ |
| 39000GVW ¹ | GVWR and CA upgrade - s | pecify | | | \$31,294.00 ¹ |
| | GVWR and CA upgrade - s | pecify | | | NA |
| | GVWR and CA upgrade - s | pecify ' | | | NA |
| | GVWR and CA upgrade - s | pecify | | | NA |
| | GVWR and CA upgrade - s | pecify | | | NA |
| | GVWR and CA upgrade - s | pecify | | | NA |
| WALTCO C-20 1 | 2,000 lb. lift gate | | | | \$6,788.00 ¹ |
| WALTCO3000 ¹ | 3,000 lb. lift gate 44x84 PLATFORM 1 | | | | \$7,560.00 ¹ |
| 794-001 ¹ | 12 ton jack cab mounted, if available | | | \$195.00 ¹ | |
| 11' CRANE BODY 1 | Auto Crane 50K-22 crane be approved equivalent | ody with shelf package, 24 | 4" bumper with crank outri | iggers, or | \$24,160.00 ¹ |
| 6006ЕН ¹ | Auto Crane 6006EH electric hydraulic crane, boom support & chassis springs, or approved equivalent | | | \$34,400.00 ¹ | |
| HYDOUTRIGGERS 1 | Auto Crane hydraulic outrig | gers, or approved equivale | ent | | \$8,499.00 ¹ |
| | Auto Crane 6406 hydraulic springs, or approved equival | | pump, boom support & ch | assis | NA |
| | Auto Crane 8406 hydraulic springs, or approved equival | | pump, boom support & ch | assis | NA |
| 721-0 01 ¹ | Backup alarm - Factory Inst | alled | | | \$59.00 ¹ |
| | Backup alarm - Dealer Insta | lied | | | NA |
| | Backup camera with 3.5" LC rear of vehicle) - Factory Ins | | to provide wide angle field | l of vision at | NA |
| BUC ¹ | Backup camera with 3.5" LC rear of vehicle) - Dealer Inst | | to provide wide angle field | of vision at | \$1,350.00 ¹ |
| COBRA20 ¹ | Optional equipment - specify NEWAY COBRA 20CY REAR LOAD | DER 1 | | | \$61,475.00 ¹ |
| BRIDGEPORT18 1 | Optional equipment - specify BRIDGEPORT 18CY REAR LOAD! | ER REQUIRES 39000GVWR 1 | | | \$117,833.00 ¹ : |
| WATERTRUCK ¹ | BRIDGEPORT 18CY REAR LOADER REQUIRES 39000GVWR 1 Optional equipment - specify 2.000 Gallon Water Tank with cross baffle 6 cab mounted controls to activate 6 air operated spray heads located midpoint of body on each side 1 | | | \$37,910.00 ¹ , | |
| ETNYRE 1 | | | | \$110,652.00 ¹ | |

| VEHICLE: | M2 | | | | |
|----------------------|---|--|------------------------|--------------|--------------------------|
| DEALER: | Orlando Freightliner | Orlando Freightliner | Orlando Freightliner | Orlando Frei | ightliner |
| ZONE: | *Western | *Northern | ★ Central | *Southern | |
| BASE PRICE: | \$39,720.00 | \$39,720.00 | \$39,720.00 | \$39,720.00 | |
| CP3 ¹ | Optional equipment - speci PETERSEN INDUSTRIES CP3 L | ify OADER-2222 NON DUMPING | BODY-OUTRIGGER STROBES | -TOOL BOX 1 | \$69,210.00 ¹ |
| LMLEGACY3 1 | Optional equipment - speci | ify REAR LOADER ¹ | | | \$60,762.00 ¹ |
| | Optional equipment - speci | ify | | | NA |
| | Optional equipment - speci | fy | | 1 | NA |
| | Optional equipment - speci | fy | | | NA |
| | Optional equipment - speci | fy | | - U | NA |
| | Optional equipment - speci | fy | | | NA |
| | Optional equipment - speci | fy | | | NA |
| | Optional equipment - speci | fy | | | NA |
| | Optional equipment - speci | fy | | | NA |
| | Optional equipment - speci | fy | | 1 | NA |
| TEMP 1 | Temporary tag | | | | \$3.00 ¹ |
| TRANSFER 1 | Transfer existing registration SEE DEALER-VARIES BY MONT | on (must provide tag numb | er) | į | NA ¹ |
| NEW TAG ¹ | New state tag (specify state SEE DEALER-VARIES BY GVWR | , county, city, sheriff, etc.) AND MONTH OF PURCHASE |)1 | | NA ¹ |
| | Maintenance Plan - specify | | | 1 | NA |
| | Maintenance Plan - specify | | | | NA |
| | Maintenance Plan - specify | | | | NA |
| BASE ¹ | Warranty - specify 2 YEARS UNLIMITED MILES 1 | | | | Std ¹ |
| TRANS 1 | Warranty - specify ALLISON 3 YEARS UNLIMITED I | MILES 1 | | | Std ¹ |
| | Warranty - specify | | | | NA |
| ENGWARRANTY 1 | Diesel Warranty - specify ISB 2 YEARS UNLIMIED 1 | | | | Std ¹ |
| ENGWARRANTY 1 | Diesel Warranty - specify ISL 2 YEARS OR 250K MILES WH | ICHEVER COMES FIRST 1 | | | Std ¹ |
| | Diesel Warranty - specify | | | - 1 | NA |

5601 NW 13th Street Gainesville, FL 32653 Office 352-378-4756

Estimate

| Date | Estimate # |
|-----------|------------|
| 2/24/2017 | 5585 |

| | | Project | Unit# |
|---|-----|--------------|---------------|
| Description | Qty | Cost | Total |
| Quote from Florida Sheriff's Contract # FSA 16 - VEH 14.0 Specification # 57 Base Trailer CW1622-102 Delivered to the Southern District | 1 | 7,786 | 7.780.00 |
| Add FSA Option - Upgrade to CWHD8X20WT2 (EW2022) - 8' x 20' enclosed trailer - 7,000 lb. GVWR - ***8' x 20' Tandem Axle 7700# GVWR*** Heavy Duty Commercial Quality, Electric Brakes, Fiberglass End Caps, Wet Cell Battery (Trailers with Brakes only), LED Stop/Tail/Turn Lights, 12-Volt Dome Lights, Wall Switch for Dome Light, Torflex Axles, SmartWire Technology, 15 inch Radial Tires, 5-Bolt Silver Spoke Wheels (E-Coated), 030 Prefinished Aluminum Exterior, LED Exterior Lighting, Extruded Aluminum Bottom Trim with Anodized Finish, All Aluminum Anti-Rack Cam Lock with Stainless Steel Hasp, 12 Volt End Connector, Jack Ram Hoist with Sand Pad, Safety Chains to D.O.T. Regulations, Bonded Skin (Smooth Exterior Sidewalls), Side Door, Double Rear Doors, Seamless Aluminum Roof, Extruded Anodized Aluminum Roof Cove with Drip Rail, Fenders, Undercoating, SAE Truck/Trailer Color, Coded Wire, Vertical Posts & Roof Bows, Tubular Steel Main Rails, Full Height Steel C-channel, Crossmembers, Electrolysis Barrier, All Exposed Steel Primed & Painted, Easy | 1 | 1,580 | 0.00 1,580.00 |
| Access Junction Box, Spare Tire Add FSA Option - HDRD - Rear Folding Ramp - Heavy duty | 1 | 390 | 390.00 |
| folding rear ramp door. Add FSA Option - ADDHT - Add 6" interior height - Order per linear trailer foot - Order option in 6" increments. | 20 | 30 | 0.00 |
| | | Subtotal | |
| | | Sales Tax (6 | .0%) |
| | | Total | |

5601 NW 13th Street Gainesville, FL 32653 Office 352-378-4756

Estimate

| Date | Estimate # |
|-----------|------------|
| 2/24/2017 | 5585 |

| Name / Address | |
|-------------------------|--|
| City of Boynton | |
| Financial Svcs. Dept. | |
| PO Box 310 | |
| Boynton Beach, FL 33425 | |
| | |
| | |
| | |

| | | Project | Unit# |
|--|--------|----------------|------------|
| Description | Qty | Cost | Total |
| Add FSA Option - CMS16 - Upgrade Floor Crossmembers/Outriggers to 16" on Centers. Order per linear trailer foot. | 20 | 12. | .00 240.00 |
| Add FSA Option - WPW34 - Install 3/4" Marine plywood on floor | 27 | 9. | .00 243.00 |
| and ramp. Order per linear trailer foot. Add FSA Option - WWSWV - Add Sidewall Vents - Priced per pair. | 1 | 83. | .00 83.00 |
| Add FSA Option - RV14 - Add 14" x 14" Roof Vent. Add FSA Option - TXNEWT - New Florida Tag (Specify) | I 1 | | |
| | | | |
| | | Subtotal | |
| | | Sales Tax (6.0 | 0%) |
| | | Total | |

5601 NW 13th Street Gainesville, FL 32653 Office 352-378-4756

4 - e - e

Estimate

| Date | Estimate # |
|-----------|------------|
| 2/24/2017 | 5585 |

| | | Project | Unit# |
|---|-----|----------------|-------------------|
| Description | Qty | Cost | Total |
| Final Trailer Description Model - EW2022 8' x 20' Cargo Trailer Heavy Duty Commercial Construction Fiberglass End Caps Electric Brakes LED Exterior Lights 12-Volt Dome Lights Wall Switch for Dome Light Dexter Torflex Axles 15" Goodyear Radial Tires 5 Bolt Silver Spoke Wheel .030 Prefinished Bonded Exterior Aluminum Heavy Duty Ramp Door Side Door Ramp Door and Floor lined with 3/4 Marine Plywood 7'0 Tall 16" Floor Crossmemebers Sidewall Vents Roof Vent One Piece Aluminum Roof White in Color 20' Long 8' Wide 7,000 GVWR City Tag | | 0. | 0.00 |
| | | Subtotal | \$11,185.00 |
| | | Sales Tax (6.0 | 0%) \$0.00 |
| | | Total | \$11,185.00 |





| Name of Dealership | Type of Vehicle | Zone | Base Unit Price |
|-----------------------------------|------------------------------------|-------------------|--------------------|
| 7' X 16' ENCLOSED CARGO TRAILER - | 7.000 LB, GVWR (Specification #57) | | |
| Federal Contracts Corp | 2017 United U-716TA35-8.5 | Western | \$8,076.00 |
| Federal Contracts Corp | 2017 United U-716TA35-8.5 | Northern | \$8,076.00 |
| Federal Contracts Corp | 2017 United U-716TA35-8.5 | Central | \$8,076.00 |
| Federal Contracts Corp | 2017 United U-716TA35-8.5 | Southern | \$8,076.00 |
| Texas Trailers Sales and Service | 2017 Wells Cargo CW1622-102 | ★Western | \$7,750.00 |
| Texas Trailers Sales and Service | 2017 Wells Cargo CW1622-102 | *Northern | \$7,390.00 |
| Texas Trailers Sales and Service | 2017 Wells Cargo CW1622-102 | ★Central | \$7,520.00 |
| Texas Trailers Sales and Service | 2017 Wells Cargo CW1622-102 | ★ Southern | \$7,780.00 |





7' X 16' ENCLOSED CARGO TRAILER - 7,000 LB. GVWR SPECIFICATION #57

2017 United U-716TA35-8.5 2017 Wells Cargo CW1622-102

Listed above you will find the model numbers of the vehicles that will be included in this year's contract. All items factory installed unless otherwise noted.

1. DIMENSIONS:

- a. Width 7'
- b. Length 16'
- c. GVWR 7,000 lb.

2. FRAME:

- a. Tubular steel main rails
- b. C-channel crossmembers
- c. Formed steel corner posts
- d. Steel roof bows
- e. Formed angle top and bottom sills
- f. Vertical sidewall posts on 16" centers
- g. Non-corrosive fasteners
- h. All exposed steel primed and painted
- i. 3 piece A frame
- j. Positive lock ball coupler
- k. Tongue jack
- l. Safety chains DOT rated

3. FLOOR/WALLS/ROOF:

- a. 3/4" exterior grade plywood floor
- b. 1/4" plywood interior liner
- c. .030" prefinished aluminum exterior, state colors
- d. Smooth galvanized steel or one piece aluminum roof
- e. Fiberglass front cap
- f. Extruded aluminum bottom trim
- g. Extruded aluminum roof cove with drip rail
- h. Double locking door on rear

4. AXLES:

- a. Tandem 3,500 lb. torflex axles
- b. 15" wheels
- c. 205 x 15 trailer rated tires
- d. Electric brakes with breakaway switch

5. LIGHTING SYSTEM:

- a. Protected turn/stop/tail lights
- b. Clearance lights
- c. Wiring run in conduit
- d. Heavy duty trailer plug

6. MISCELLANEOUS:

a. Spare wheel and tire

Disclosure: The Florida Sheriffs Association working in conjunction with manufacturers, dealers and distributors of vehicles/equipment does their best to ensure Model names, numbers and codes represent the latest information available at the time the bid documents are prepared. However, do to the nature of the business, it is recommended that you confirm this information with your dealer representative at the time you are requesting a confirming quote.





7' X 16' ENCLOSED CARGO TRAILER – 7,000 LB. GVWR SPECIFICATION #57

2017 Wells Cargo CW1622-102

The Wells Cargo CW1622-102 purchased through this contract comes with all the standard equipment as specified by the manufacturer for this model and FSA's base vehicle specification(s) requirements which are included and made a part of this contract's vehicle base price as awarded by specification by zone.

ZONE:

*Western

+Northern

★Central

*Southern

BASE PRICE:

\$7,750.00

\$7,390,00

\$7,520,00

\$7,780.00

While the Florida Sheriffs Association and Florida Association of Counties have attempted to identify and include those equipment items most often requested by participating agencies for full size vehicles, we realize equipment needs and preferences are going to vary from agency to agency. In an effort to incorporate flexibility into our program, we have created specific add/delete options which allow the purchaser to tailor the vehicle to their particular wants or needs.

The following equipment delete and add options and their related cost are provided here to assist you in approximating the total cost of the type vehicle(s) you wish to order through this program. Simply deduct the cost of any of the following equipment items you wish deleted from the base unit cost and/or add the cost of any equipment items you wish added to the base unit cost to determine the approximate cost of the type vehicle(s) you wish to order.

NOTE: An official listing of all add/delete options and their prices should be obtained from the appropriate dealer in your zone when preparing your order. Additional add/delete options other than those listed here may be available through the dealers, however, those listed here must be honored by the dealers in your zone at the stated prices.

VEHICLE:

CW1622-102

DEALER:

Texas Trailers Sales and

Service

Texas Trailers Sales and Service

Service

Texas Trailers Sales and Texas Trailers Sales and

All Zones

\$2,520,00¹

\$2,720,00¹

\$110.00¹

\$3,140.00¹

\$1,480.00¹

\$1,270.00¹

Service

ZONE:

*Western

★Northern

* Central

*Southern

BASE PRICE:

\$7,750.00

\$7,390.00

\$7,520.00

\$7,780.00

Order Code

CWHD6X12DS2 1

Delete Options

Downgrade to 6' x 12' trailer, single axle, 3,500 GVWR
6' x 12' Single Axle 2990# GVWR Heavy Duty Commercial Quality. Fiberglass End Caps, LED Stop/Tail/Turn Lights, 12-Volt Dome Lights, Wall Switch for Dome Light, Torflex Axles. SmartWire Technology, 15 inch Radial Tires, 5-Bolt Silver Spoke Wheels (E-Coated), .030 Prefinished Aluminum Exterior (12 colors), LED Exterior Lighting, Extruded Aluminum Bottom Trim with Anodiced Finish, All Aluminum Anti-Rack Cam Lock with Stainless Steel Hasp, Jack Ram Hoist with Sand Pad, Safety Chains to D.O.T. Regulations, Bonded Skin (Smooth Exterior Sidewalls), Side Door, Double Rear Doors, Seamless Aluminum Roof, Extruded Anodized Aluminum Roof Cove with Drip Rail, Undercoating, SAE Truck/Trailer Color Coded Wire. Vertical Posts & Roof Bows. Tubular Steel Main Rails, Full Height Steel C-channel Crossmembers. Electrolysis Barrier, All Exposed Steel Primed & Painted (Urethane Topcoat), Easy Access Junction Box, Spare Tire!

CWHD6X10DS2 1

Delete option - specify

6' x 10[°] Single Axle 2990# GVWR Heavy Duty Commercial Quality, Fiberglass End Caps, LED Stop/Tail/Turn Lights, 12-Volt Dome Lights, Wall Switch for Dome Light, Torflex Axles, Smart Wire Technology, 15 inch Radial Tires 5-Bolt Silver Spoke Wheels (E-Coated), .030 Prefinished Alumimum Exterior (12 colors), LED Exterior Lighting, Extruded Aluminum Bottom Trim with Anodized Finish, All Aluminum Anti-Rack Cam Lock with Stainless Steel Hasp, 12 Volt End Connector, Jack Ram Hotst with Sand Pad, Safety Chains, Bonded Skin (Smooth Exterior Sidewalls, Side Door, Double Rear Doors, Seamless Aluminum Roof, Extruded Anodized Aluminum Roof Cove with Drip Rail, Fenders, SAE Truck/Trailer Color Coded Wire, Vertical Posts & Roof Bows, Tubular Steel Main Rails, Full Height Steel C-channel Crossmembers. Electrolysis Barrier, All Exposed Steel Primed & Painted (Urethane Topcoat), Easy Access Junction Box, Spare Tire¹

CWHD7X14WT2 1

Delete option - specify

7' x 14² Tandem Âxle 7700# GVWR Heavy Duty Commercial Quality, Electric Brakes, Fiberglass End Caps. WetCell Battery (Trailers with Brakes only), LED Stop/Tail/Turn Lights. 12-Volt Dome Lights, Wall Switch for Dome Light, Torflex Axles, Smart Wire Technology. 15 inch Radial Tires. 5-Bolt Silver Spoke Wheels, .030 Prefinished Ahminum Exterior (12 colors), LED Exterior Lighting. Extruded Aluminum Bottom Trim with Anodized Finish, All Aluminum Anti-Rack Cam Lock with Stainless Steel Hasp. 12 Volt End Connector, Jack Ram Hoist with Sand Pad. Safety Chains to D.O.T. Regulations, Bonded Skin (Smooth Exterior Sidewalls), Side Door, Double Rear Doors, Seamless Aluminum Roof, Extruded Anodized Aluminum Roof Cove with Drip Rail, Fenders, Undercoating, SAE Truck/Trailer ColorCoded Wire, Vertical Posts & Roof Bows, Tubular Steel Main Rails, Full Height Steel C-charmelCrossmembers, Electrolysis Barrier, All

Exposed Steel Primed & Painted (Urethance Topcoat), Easy Access Junction Box, Spare Tire 1

RF6X121 1

Delete option - specify

6' x 12^î Single Axle 2990# GVWR Medium Duty Commercial Trailer,Torflex Axles, 030 Prefinished Aluminum Exterior (12 colors), Safety Chains, Seamless Aluminum Roof, Silver Spoke Wheels & 15 inch Radial Tires, Tubular Steel Main Rails, Extruded Aluminum Bottom Trim (Mill Finished), Double Rear Doors, Sealed Beam Clearance Lights, 24 inch OC Roof Trusses, Rear Hoop Accented in Silver Frost Metal. Positive Lock Ball Coupler Hitch, Nev-R-Adjust Self-Adjusting Brakes, 16 mch OC Vertical Posts, Entire Chassis Undercoated, Oval LED Tail Lights. 12V Dome Light, Top Wind Jack with Sand Pad. Pre-Hung Side Entry Door with Flush Lock, TPO Front Cap, 24 inch ATP Stoneguard. .080 Aluminum Roof Cove/Drip Rail, 24 inch OC Floor Crossmembers, Fold-Down Stabilizer Jacks. 4-year Limited Warranty, One Piece Aluminum Roof, 3/4 inch DryMax High-Performance Interior Decking, 3/8 inch DryMax High-Performance Interior Sidewalls, Spare Tire

RF7X142 1

Delete option - specify

7' X 14' Tandem Axle 7,000# GVWRMedium Duty Commercial Trailer Torflex Axles, .030 Prefinished Aluminum Exterior (12 colors), Safety Chains to D.O.T.Regulations, Seamless Aluminum Roof, Smooth Aluminum Flare Fenders, Tubular Steel Main Ralis, Extruded Aluminum Bottom Trim (Mill Finished), Double Rear Doors, Sealed Beam Clearance Lights, 24 inch OC Roof Trusses, Rear Hoop Accented in Silver Frost Metal, Nev-R-Adiust Self-Adiusting Brakes, 16 inch OC Vertical Posts, Entire Chassis Undercoated, Oval LED Tail Lights, 12V Dome Light, Top Wind Jack with Sand Pad, Pre-Hung Side Entry Door with Flush Lock, TPO Front Cap, 24 inch ATP Stoneguard, .080 Aluminum Roof Cove/Drip Rail, 24 inch OC Floor Crossmembers, Fold-Down Stabilizer Jacks, 4-year Limited Warranty, Steel Decking Channel (rear door opening), One Piece Aluminum Roof, 3/4 inch DryMax High-Performance Interior Decking, 3/8 inch DryMax High-Performance Interior Sidewalls, Radius Roof, Spare Tire

RF7X162 I

Delete option - specify

7' X 16' Tandem Axle 7,000# GVWRMedium Duty Commercial Trailer Torflex Axles, .030 Prefinished Aluminum Exterior (12 colors), Safety Chains D.O.T.Regulations, Seamless Aluminum Roof, Smooth Aluminum Flare Fenders, Tubular, Steel Main Rails, Extruded Aluminum Bottom Trim (Mill Finished), Double Rear Doors, Sealed Beam Clearance Lights, 24 inch OC Roof Trusses, Rear Hoop Accented in Silver Frost Metal, Nev-R-Adjust Self-Adjusting Brakes, 16 inch OC Vertical Posts, Entire Chassis Undercoated, Oval LED Tail Lights, 12V Dome Light, Top Wind Jack with Sand Pad, Pre-Hung Side Entry Door with Flush Lock, TPO Front Cap, 24 inch ATP Stoneguard, .080 Aluminum Roof Cove/Drip

VEHICLE:

CW1622-102

DEALER:

Texas Trailers Sales and

Service

Texas Trailers Sales and Service

Texas Trailers Sales and Texas Trailers Sales and Service

Service

ZONE:

*Western

*Northern

★Central

*Southern

BASE PRICE:

\$7,750.00

\$7,390.00

\$7,520.00

\$7,780.00

Rail, 24 inch OC Floor, Spare Tirel

Delete Option 1

Delete option - specify ***If You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed.***

Delete option - specify

Delete option - specify Delete option - specify

Delete option - specify

Delete option - specify

All Zones

Incl. 1

NA

Order Code

Add Options

Vendor must demonstrate a discount percentage off of the MSRP or Published Price for non-scheduled options and any optional models bid. This discount only applies to a downgrade/upgrade to the model listed within the specification.

CWHD8X20WT2 1

Upgrade to 8' x 20' enclosed trailer - 7,000 lb. GVWR ***8' x 20' Tandem Axle 7700# GVWR*** Heavy Duty Commercial Quality, Electric Brakes. Fiberglass End Caps. Wet Cell Battery (Trailers with Brakes only), LED Stop/Tail/Twn Lights, 12-Volt Dome Lights. Wall Switch for Dome Light, Torflex Axles, SmartWire Technology. 15 inch Radial Tires, 5-Bolt Silver Spoke Wheels (E-Coated), 030 Prefinished Aluminum Exterior. LED Exterior Lighting, Extruded Aluminum Bottom Trim with Anodized Finish. All Aluminum

Anti-Rack Cam Lock with Stainless Steel Hasp, 12 Volt End Connector, Jack Ram Hoist with Sand Pad, Safety Chains to D.O.T. Regulations, Bonded Skin (Smooth Exterior Sidewalls), Side Door, Double Rear Doors, Seamless Aluminum Roof, Extruded Anodized Aluminum Roof Cove with Drip Rail Fenders Undercoating, SAE Truck/Trailer Color, Coded Wire, Vertical Posts & Roof Bows, Tubular Steel Main Rails, Full Height Steel C-channel, Crossmembers, Electrolysis

Barrier, All Exposed Steel Primed & Painted, Easy Access Junction Box, Spare Tire 1

CWHD8X20WT3 1

Upgrade to 8' x 20' enclosed trailer - 10,000 lb. GVWR

8' x 20' Tandem Axle 10,000# GVWR Heavy Duty Commercial Quality, Electric Brakes. Fiberglass End Caps, Wet Cell Battery, LED Stop/Tail/Turn Lights, 12-Volt Dome Lights, Wall Switch for Dome Light. Torflex Axles, SmartWire Technology, 15 Inch Radial Tires, 5-Bolt Silver Spoke Wheels (E-Coated), .030 Prefinished Aluminum Exterior (12 colors), LED Exterior Lighting, Extruded Aluminum Bottom Trim with Anodized Finish, All Aluminum Anti-Rack Cam Lock with Stainless Steel Hasp, 12 Volt End Connector, Jack Ram Hoist with Sand Pad, Safety Chains to D.O.T. Regulations, Bonded Skin (Smooth Exterior Sidewalls). Side Door, Double Rear Doors, Seamless Aluminum Roof, Extruded Anodized Ahuninum Roof Cove with Drip Rail, Fenders, Undercoating, SAE Truck/Trailer Color Coded Wire. Vertical Posts & Roof Bows, Tubular Steel Main Rails, Full Height Steel C-channel Cross members, Electrolysis Barrier, All Exposed Steel Primed & Painted, Easy Access Junction Box, Spare Tire 1

\$2,680.00

\$1,580.00¹

| VEHICLE: | CW1622-102 | | | | |
|--|--|---|--|--|-----------------------|
| DEALER: | Texas Trailers Sales and Service | Texas Trailers Sales and Service | Texas Trailers Sales and Service | Texas Trailers Sal Service | es and |
| ZONE: | ★ Western | ★ Northern | ★ Central | ★ Southern | |
| BASE PRICE: | \$7,750.00 | \$7,390.00 | \$7,520.00 | \$7,780.00 | |
| CWHD7X16WT3 Upgrade axles in 7' x 16" trailer to 10,000 lb. GVWR ***7' x 16' Tandem Axle 10,000# GVWR*** Heavy Duty Commercial Quality, Electric Brakes, Fiberglass End Caps, Wet Cell Battery (Trailers with Brakes only), LED Stop/Tail/Turn Lights, 12-Volt Dome Lights, Wall Switch for Dome Light, Torflex Axles, SmartWire Technology, 15 tnch Radial Tires, 5-Bolt Silver Spoke Wheels, 030 Prefinished Aluminum Exterior, LED Exterior Lighting, Extruded Aluminum Bottom Trim with Anodized Finish, All Aluminum Anti-Rack Cam Lock with Stainless Steel Hasp, 12 Volt End Connector, Jack Ram Hotst with Sand Pad. Safety Chains to D.O.T. Regulations, Bonded Skin (Smooth Exterior Sidewalls), Side Door, Double Rear Doors, Seamless Aluminum Roof, Extruded Anodized Aluminum Roof Cove with Drip Rail Fenders, Undercoating, SAE Truck/Trailer Color Coded Wire, Vertical Posts & Roof Bows, Tubular Steel Main Rails, Full Height Steel C-channel Crossmembers, Electrolysis Barrier, All Exposed Steel Primed & Painted, Spare Tire 1 | | | | | |
| HDRD ¹ | Rear folding ramp Heavy duty folding rear ramp door.** Model Or Option Not Listed.*** 1 | *If You Don't See What You Need | l - You May Take 8% Off Of Cu | urent MSRP on Any | \$390.00 ¹ |
| CBSD ¹ | Side entry door Side entry door included.***If You De Option Not Listed.*** 1 | on't See What You Need - You May | y Take 8% Off Of Current MSR | P on Any Model Or | Incl. |
| UPG225 ¹ | 225 x 15 tires Each Tire***If You Don't See What Y Listed.*** 1 | ou Need - You May Take 8% Off C | Of Current MSRP on Any Mode | el Or Option Not | \$85.00 |
| SCOLF 1 | Spray in floor liner Black or Grey Scorpion Spray in Line You May Take 8% Off Of Current MS | er on floor of trailer - Price is per s RP on Any Model Or Option Not L | square foot.***If You Don't Se Listed.*** 1 | e What You Need - | \$8.00 |
| MT85X2424 ¹ | Optional equipment - specify 102" x 24' MotorTrac 10,000# GVWR OC Vertical Posts, One Piece Alumin (White & Black only), White Varyl Int Out Aluminum Step, Stainless Steel Fl Rear Corners & Rear Header, Non-P. Ramp Door, 12V Deluxe Dome Lights Frame, 24" ATP Stone Guard, Aluma Spare Tire 1 | um Roof, 7-Way 12V End Connect erior Sidewall Liner and Ceiling L ront Cap & Front Corner, Polish owered Roof Vents (2), Bonded Ex LED Chammes & Wrangraumd | or, .040 Prepuishea Atumimum Liner, Cast Aluminum Rear Cap ed Alumimum Castings: Front c tterior Sidewalls-No Riveted Se Tail Liehts. 48° Pre-framed De | o, Under Frame Side Rear, Chrome ams, Max Size Rear or with Aluminum | \$4,960.001 |
| MT85X2825 ¹ | Optional equipment - specify 102" x 28' MotorTrac 12,000# GVWK OC Vertical Posts, One Piece Alumin (White & Black only), White Vinyl Int Out Aluminum Step. Stainless Steel Fl Rear Corners & Rear Header, Non-P Ramp Door, 12V Deluxe Dome Light Frame, 24" ATP Stone Guard, Aluma Spare Tire | um Roof, 7-Way 12V End Connect erior Sidewall Liner and Ceiling I. ront Cap & Front Corners, Podesh owered Roof Vents (2), Bonded Ex LED Classance & Wysnaraund | ior, 1940 Frejinishea Atuminum Liner, Cast Aluminum Rear Caf Lided Aluminum Castings: Front c Sterior Sidewalls-No Riveted Sc Tail Lichts. 48° Pre-framed Do | o, Under Frame Stide & Rear, Chrome cams, Max Size Rear coor with Aluminum | \$7,300.00 |
| ADDHT 1 | Optional equipment - specify Add 6" interior height - Order per. its You May Take 8% Off Of Current MS | near trailer foot - Order option in (IRP on Any Model Or Option Not i | 6" increments.***If You Don't Listed.*** 1 | See What You Need - | \$30.00 |
| CMS16 | Optional equipment - specify Upgrade Floor Crossmembers/Outrig Need - You May Take 8% Off Of Curi | ggers to 16" on Centers. Order per rent MSRP on Any Model Or Optic | : linear trailer foot. ***If You on Not Listed. *** 1 | Don't See What You | \$12.001 |
| WPW34 ¹ | Optional equipment - specify Install 3/4" Marine phywood on floor May Take 8% Off Of Current MSRP | and ramp. Order per. linear traile on Any Model Or Option Not Liste | er foot.***If You Don't See Wh d.*** 1 | at You Need - You | \$9.00 |
| INSWC 1 | Optional equipment - specify Add insulation to sidewalls and ceilin What You Need - You May Take 8% 6 | ng, includes white vinyl ceiling - Ot Off Of Current MSRP on Any Mod | rder per. linear trailer foot. *** el Or Option Not Listed. *** l | If You Don't See | \$42.00 ¹ |
| | | | | | |

| DEALER! Toos Trailers Sales and Service Service XWestern Xvestern Xvoordern Xvestern Xvoordern | | | | | | |
|--|----------------------|--|---|--|--|-----------|
| Service # Western # Northern # Central # Southbran # St. 20.00 \$7,780.00 # To 20 bot \$2,750.00 # St. 20 bot \$2 | VEHICLE: | CW1622-102 | Texas Trailers Sales and | Texas Trailers Sales and | | es and |
| ## Northern | DEALIER. | W | | | | |
| WCFW38 Optional equipment - specify Probable Walls and Culture - White Sunboared FRP Sidervall Liner and Celling Liner. Order par. linear trailer foot.*********************************** | ZONE: | ★ Western | ★ Northern | | , | |
| Optional equipment - specify Optional equipme | BASE PRICE: | \$7,750.00 | \$7,390.00 | \$7,520.00 | \$7,780.00 | |
| DEPWC 1 Optional equipment - specify Add dehave selectical packages - includes 30 ang, 120V service panel w/30 amp main and 21° shoreline, (3) 13d simplex Add dehave selectical packages - includes the following: Institution and with the Package Institute, Package Institutes, Package In | WCFW38 ¹ | | mbossed FRP Sidewall Liner and May Take 8% Off Of Current MSR | Ceiling Liner, Order per, linear P on Any Model Or Option No. | r trailer foot, ***if Listed. *** 1 | |
| Optional equipment - specify Spe | DEPWC ¹ | Add deluxe electrical package - inclue receptacles, (2) 4' double fluorescent Rase Plus and Cord.*** If You Don't | | | | |
| Optional equipment - specify Add 15,000 BTU rogic-lop at conditioner with heat strip, **** if you Don't See What You Need - You May Take 8% Off Of Current MSEP on Any Model Or Option Not Listed, **** 1 Optional equipment - specify Gray or Black Ratead Circle Non-Sid Vinyl Floor Covering, Order per, linear trailer foot, **** if You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed, **** 1 Optional equipment - specify A-Frame Mount 6500 Was Generator Package - Includes the following: Extended A-Frame, Generator, Adminism generator box, **** if You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed, **** 1 Optional equipment - specify TEW Onboard Generator Package - Includes the following: Generator compartment, above floor fuel tonk, fuel gauge, TEW Onboard Generator Package - Includes the following: Generator compartment, above floor fuel tonk, fuel gauge, TEW Onboard Generator Package - Includes the following: Generator compartment, above floor fuel tonk, fuel gauge, TEW Onboard Generator Package - Includes the following: Generator compartment, above floor fuel tonk, fuel gauge, TEW Onboard Generator Package - Includes the following: Generator compartment, slides, 30 amp service, and carbon Generator Ready Package - No Generator - Includes: Generator compartment, slides, 30 amp service, and carbon Generator Ready Package - No Generator - Includes: Generator compartment, slides, 30 amp service, and carbon Generator Ready Package - No Generator - Includes: Generator compartment, slides, 30 amp service, and carbon Generator Ready Package - No Generator - Includes: Generator Compartment, slides, 30 amp service, and carbon Generator Ready Package - No Generator - Includes: Generator - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed, **** 1 WESWV 1 Optional equipment - specify Add Sadread West - Pred per pair, *** 19 You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Opt | 50AB ¹ | Unavada Flactrical to 50 amp service | . ***If You Don't See What You No 1 | eed - You May Take 8% Off Of | Current MSRP on | |
| Optional equipment - specify Add Sidewall Vents - Packed For Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** Optional equipment - specify A-Frame Mount 6500 Watt Generator Package - includes the following: Extended A-Frame, Generator, Ahaninum A-Frame Mount 6500 Watt Generator Package - includes the following: Extended A-Frame, Generator, Ahaninum A-Frame Mount 6500 Watt Generator Package - includes the following: Extended A-Frame, Generator, Ahaninum A-Frame Mount 6500 Watt Generator Package - includes the following: Extended A-Frame, Generator, Ahaninum A-Frame Mount 6500 Watt Generator Package - includes the following: Generator MSRP on Any Model Or Option Not Listed. *** Toptional equipment - specify AND Optional equipment - specify Generator Ready Package - No Generator - Includes: Generator compartment, above floor fuel tank, fuel gauge. Styr, 755.001 WWSWV 1 Optional equipment - specify Add Sidewall Vents - Priced per pair. *** If You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** 1 Optional equipment - specify Add Herry day ahaninum ramp door extension. Makes a smooth transition from the ground to the rear ramp door. *** If You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** 1 Optional equipment - specify Add Herry day ahaninum ramp door extension. Makes a smooth transition from the ground to the rear ramp door. *** If You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** 1 DISK 1 Optional equipment - specify Add Heavy Day 8,000H Drop Leg Tongue Jack ILO A-Frame Jack. *** If You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** 1 Optional equipment - specify Add Option to extend a-frame tongue I' - Option only available in flat front traiters. *** If You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option | ACPKG 1 | ALL 15 AAA RTI I roof-top air conditio | oner with heat strip. ***If You Don tion Not Listed. *** 1 | i't See What You Need - You Mi | ry Take 8% Off Of | |
| Optional equipment - specify Add Sidrwall Vents - Specify Add Sidrwall Vents - Specify Add Heavy duy Teste What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed.*** Optional equipment - specify TKW Onboard Generator Package - Includes the following: Generator compartment, above floor fiest tamk, fisel gauge. TROW Onboard Generator Package - Includes the following: Generator compartment, above floor fiest tamk, fisel gauge. TKW Onboard Generator Package - Includes the following: Generator compartment, above floor fiest tamk, fisel gauge. TKW Onboard Generator Package - Includes the following: Generator compartment, above floor fiest tamk, fisel gauge. TKW Onboard Generator Package - Includes the following: Generator compartment, above floor fiest tamk, fisel gauge. TKW Onboard Generator Package - Includes the following: Generator compartment, above floor fiest tamk, fisel gauge. TKW Onboard Generator Package - Includes the following: Generator compartment, above floor fiest tamk, fisel gauge. TKW Onboard Generator Package - Includes the following: Generator compartment, above floor fiest tamk, fisel gauge. TKW Onboard Generator Package - Includes the following: Generator compartment, above floor fiest tamk, fisel gauge. TKW Onboard Generator Package - Includes the following: Generator compartment, above floor fiest tamk, fisel gauge. TKW Onboard Generator Package - Includes the following: Generator compartment, above floor fiest tamk, fisel gauge. TKW Onboard Generator Package - Includes the following: Generator Compartment, above floor fiest tamk, fisel gauge. TKW Onboard Generator Package - Includes the following: Generator Compartment, above floor fiest tamk, fisel gauge. TKW Onboard Generator Package - Includes the following: Generator compartment, above floor fiest tamk, fisel gauge. TKW Onboard Generator Package - Includes the following: Generator compartment, above floor fiest tamk, fisel gauge. TKW Onboard Generator Package - Includes the following: Generator compartment, | NSFL02 ¹ | or the property that and Charle Many Chi | d Vinyl Floor Covering. Order pe rent MSRP on Any Model Or Opti | r. linear trailer foot.***If You l on Not Listed.*** l | Don't See What You | |
| Optional equipment - Specify Add 14"x 14" Roof Yent - Specify Add 14"x 14" Roof Yent - Specify Add Heavy day shuntum ramp door extension. Makes a smooth transition from the ground to the rear ramp door extension was a floor backed - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed.*** Optional equipment - specify Add Heavy day shuntum ramp door extension. Makes a smooth transition from the ground to the rear ramp door. *********************************** | TMGEN65 1 | A-Frame Mount 6500 Watt Generator | r Package - Includes the following That You Need - You May Take 8% | z: Extended A-Frame, Generato 6 Off Of Current MSRP on Any | r, Ahuninum Model Or Option Not | |
| Definal equipment - specify Add Sidewall Vents - Priced per pair. ****If You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. **** 1 WCRF 1 Optional equipment - specify Add Sidewall Vents - Priced per pair. ****If You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. **** 1 Optional equipment - specify Add 14" x 14" Roof Vent. ****If You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. **** 1 WCRF 1 Optional equipment - specify Add Heavy daty aluminum ramp door extension. Makes a smooth transition from the ground to the rear ramp door. ****If You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. **** 1 DISK 1 Optional equipment - specify Add Heavy Duty 8,000# Drop Leg Tongue Jack ILO A-Frame Jack. ****If You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** 1 WCET 1 Optional equipment - specify Add option to extend a-frame tongue 1' - Option only available in flat front trailers. ***If You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** 1 HSLK 1 Optional equipment - specify Add the country bar lock with wire lock to side door, rear doors or ramp door. ***If You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** 1 \$137.00 \$137.00 | ON7KWPK ¹ | 7KW Onboard Generator Package - | tor, fuel fill door, and nour meter. | compartment, above floor fuel | tank, fuel gauge. Need - You May Take | |
| WWSWV 1 Optional equipment - specify Add Sidewall Vents - Priced per pair. ***if You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** 1 Optional equipment - specify Add 14" x 14" Roof Vent. ***if You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** 1 Optional equipment - specify Add Heavy daty aluminum ramp door extension. Makes a smooth transition from the ground to the rear ramp door. ***if You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** 1 DJ8K 1 Optional equipment - specify Add Heavy Duty 8,000# Drop Leg Tongue Jack ILO A-Frame Jack. ***if You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** 1 WCET 1 Optional equipment - specify Add option to extend a-frame tongue I' - Option only available in flat front trailers. ***if You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** 1 HSLK 1 Optional equipment - specify Add option to extend a-frame tongue I' - Option Not Listed. *** 1 **137.00** **137.00** **10 **10 **10 **10 **10 **10 **10 **10 **11 **1 | PGPKG ¹ | Generator Ready Package - No Generator Ready - No Ge | | artment, slides, 30 amp service May Take 8% Off Of Current h | and carbon ISRP on Any Model | |
| WCRF Optional equipment - specify Add 14" x 14" Roof Vent. *** f You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** Optional equipment - specify Add Heavy duty aluminum ramp door extension. Makes a smooth transition from the ground to the rear ramp door. *** f You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** Optional equipment - specify Add Heavy Duty 8,000# Drop Leg Tongue Jack ILO A-Frame Jack. *** f You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** Optional equipment - specify Add option to extend a-frame tongue 1' - Option only available in flat front trailers. *** f You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** Optional equipment - specify Add the beautiful by the lock with vice lock to side door, rear doors or ramp door. *** f You Don't See What You Need - You \$137.00\(^1\) | wwswv ¹ | Add Sidowall Vents - Priced per pair | : ***If You Don't See What You N 1 | leed - You May Take 8% Off Of | Current MSRP on | |
| Optional equipment - specify Add Heavy duty aluminum ramp door extension. Makes a smooth transition from the ground to the rear ramp door, *** If You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** 1 Optional equipment - specify Add Heavy Duty 8,000# Drop Leg Tongue Jack ILO A-Frame Jack. *** If You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** 1 Optional equipment - specify Add option to extend a-frame tongue 1' - Option only available in flat front trailers, *** If You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** 1 Optional equipment - specify Add the average of the state of the sta | RV14 ¹ | Add 14" x 14" Roof Vent. ""If You L | Don't See What You Need - You M | ay Take 8% Off Of Current MS. | RP on Any Model Or | 1 |
| Optional equipment - specify Add Heavy Duty 8,000# Drop Leg Tongue Jack ILO A-Frame Jack. ***If You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** I Optional equipment - specify Add option to extend a-frame tongue I' - Option only available in flat front trailers. ***If You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** I Optional equipment - specify Add theavy Duty 8,000# Drop Leg Tongue Jack ILO A-Frame Jack. ***If You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** I Optional equipment - specify Add theavy Duty 8,000# Drop Leg Tongue Jack ILO A-Frame Jack. ***If You Don't See What You Need - Yo | WCRF 1 | | | nitton from the ground to the re RP on Any Model Or Option N | ar ramp door. ***if ot Listed. *** 1 | |
| WCET Optional equipment - specify Add option to extend a-frame tongue 1' - Option only available in flat front trailers. ***If You Don't See What You Need - You May Take 8% Off Of Current MSRP on Any Model Or Option Not Listed. *** HSLK Optional equipment - specify Add like a county bor, lock with vice lock to side door, rear doors or ramp door. ***If You Don't See What You Need - You | DJ8K ¹ | 1 A J.J. 22 Darte & AAA# Dropp Lot Ti | onove Jack ILU A-Frame Jack. | **If You Don't See What You N | sed - You May Take | i |
| HSLK 1 Optional equipment - specify Optional equipment - specify Add high security har lock with vice lock to side door, rear doors or ramp door, *** If You Don't See What You Need - You | WCET ¹ | Optional equipment - specify | 1' - Ontion only available in flat : | front trailers.***!f You Don't S t Listed.*** 1 | ee What You Need - | |
| | HSLK 1 | Optional equipment - specify | i lock to side door, rear doors or re | amp door.***If You Don't See | What You Need - You | \$137.00° |

| VEHICLE: DEALER: ZONE: BASE PRICE: | CW1622-102 Texas Trailers Sales and Service ★Western \$7,750.00 | Texas Trailers Sales and Service ★ Northern \$7,390.00 | Texas Trailers Sales and Service ★ Central \$7,520.00 | Texas Trailers Sale Service ★ Southern \$7,780.00 | es and |
|------------------------------------|--|--|---|--|---|
| RDR801 1 | Optional equipment - specify Add 5,000 lbs recessed the ring in flow Current MSRP on Any Model Or Opti | or. Priced per tie ring.***if You L tion Not Listed.*** \ | Don't See What You Need - You | May Take 8% Off Of | \$29.00 ¹ |
| AS100 1 | Optional equipment - specify Aluminum Stide Out Step at Stde Doc Any Model Or Option Not Listed. | or.***if You Don't See What You | Need - You May Take 8% Off O | f Current MSRP on | \$247.001 |
| RS100 ¹ | Optional equipment - specify Recessed Step at Side Door. ***If Yo Or Option Not Listed. *** 1 | | May Take 8% Off Of Current h | ASRP on Any Model | \$110.001 |
| WCAB100 ¹ | Optional equipment - specify Interior Cabinets - Includes: 8' Lam You May Take 8% Off Of Current M | | nead cabinet.***If You Don't Se t Listed.*** 1 | ee What You Need - | \$1,760.00 |
| WCET12 1 | Optional equipment - specify E-Trac tie down system welded to sh May Take 8% Off Of Current MSRP | de wall study Order per, linear tr | ailer foot. ***If You Don't See | What You Need - You | \$11.001 |
| TXTEMP 1 | Temporary tag 30 day temporary paper tag 1 | | | | \$15.00 ¹ \$150.00 ¹ |
| TXTRANS 1 | Transfer existing registration Transfer existing tag (Please supply | (ag numoer) |) | | \$200.00 ¹ |
| TXNEWTAG ¹ | New state tag (specify state, NEW Tag Supplied With Trailer. 1 Maintenance Plan - specify | county, city, sherin, cto.) | | | NA |
| | Maintenance Plan - specify | | | | NA Incl. 1 |
| WCW4 1 | Warranty - specify Wells Cargo Model Trailers Have to Warranty - specify | | | | Incl. ¹ |
| | Road Force Model Trailers Have 4 | Year Warranty Included | | | |

5601 NW 13th Street Gainesville, FL 32653 Office 352-378-4756

Estimate

| Date | Estimate # |
|-----------|------------|
| 2/24/2017 | 5585 |

| | [| Project | Unit# |
|---|-----|-------------|----------------|
| Description | Qty | Cost | Total |
| Quote from Florida Sheriff's Contract # FSA 16 - VEH 14.0 Specification # 57 Base Trailer CW1622-102 Delivered to the Southern District | | 7,7 | 7,780.00 |
| Add FSA Option - Upgrade to CWHD8X20WT2 (EW2022) - 8' x 20' enclosed trailer - 7,000 lb. GVWR - ***8' x 20' Tandem Axle 7700# GVWR*** Heavy Duty Commercial Quality, Electric Brakes, Fiberglass End Caps, Wet Cell Battery (Trailers with Brakes only). LED Stop/Tail/Turn Lights, 12-Volt Dome Lights, Wall Switch for Dome Light, Torflex Axles, SmartWire Technology, 15 inch Radial Tires, 5-Bolt Silver Spoke Wheels (E-Coated), 030 Prefinished Aluminum Exterior, LED Exterior Lighting, Extruded Aluminum Bottom Trim with Anodized Finish, All Aluminum Anti-Rack Cam Lock with Stainless Steel Hasp, 12 Volt End Connector, Jack Ram Hoist with Sand Pad, Safety Chains to D.O.T. Regulations, Bonded Skin (Smooth Exterior Sidewalls), Side Door, Double Rear Doors, Seamless Aluminum Roof, Extruded Anodized Aluminum Roof Cove with Drip Rail, Fenders, Undercoating, SAE Truck/Trailer Color, Coded Wire, Vertical Posts & Roof Bows, Tubular Steel Main Rails, Full Height Steel C-channel, Crossmembers, Electrolysis Barrier, All Exposed Steel Primed & Painted, Easy Access Junction Box, Spare Tire | | 1 1,5 | 80.00 1,580.00 |
| Add FSA Option - HDRD - Rear Folding Ramp - Heavy duty folding rear ramp door. | 1 | 3: | 90.00 390.00 |
| Add FSA Option - ADDHT - Add 6" interior height - Order per linear trailer foot - Order option in 6" increments. | 20 | | 30.00 600.00 |
| | | Subtotal | |
| | | Sales Tax (| 8.0%) |
| | | Total | |

5601 NW 13th Street Gainesville, FL 32653 Office 352-378-4756

Estimate

| Date | Estimate # |
|-----------|------------|
| 2/24/2017 | 5585 |

| Name / Address | |
|--|--|
| City of Boynton Financial Svcs. Dept. PO Box 310 Boynton Beach, FL 33425 | |
| | |

| | | Project | Unit# |
|--|------------------|----------|---------------------------|
| | | | |
| Description | Qty | Cost | Total |
| Add FSA Option - CMS16 - Upgrade Floor Crossmembers/Outriggers to 16" on Centers. Order per linear trailer foot. | | 20 1 | 2.00 240.00 |
| Add FSA Option - WPW34 - Install 3/4" Marine plywood on floor and ramp. Order per linear trailer foot. | 4 | 27 | 9.00 243.00 |
| Add FSA Option - WWSWV - Add Sidewall Vents - Priced per | | 1 8 | 3.00 83.00 |
| pair. Add FSA Option - RV14 - Add 14" x 14" Roof Vent. Add FSA Option - TXNEWT - New Florida Tag (Specify) | | | 9.00 69.00 0.00 200.00 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | <u> </u> | Subtotal | |
| | Sales Tax (6.0%) | | .0%) |
| | | Total | |

5601 NW 13th Street Gainesville, FL 32653 Office 352-378-4756

P - 1 - 2

Estimate

| Date | Estimate # | | |
|-----------|------------|--|--|
| 2/24/2017 | 5585 | | |

| | | Project | | Unit# |
|---|-----|-----------|--------|-------------|
| Description | Qty | Cost | | Total |
| Final Trailer Description Model - EW2022 8' x 20' Cargo Trailer Heavy Duty Commercial Construction Fiberglass End Caps Electric Brakes LED Exterior Lights 12-Volt Dome Lights Wall Switch for Dome Light Dexter Torflex Axles 15" Goodyear Radial Tires 5 Bolt Silver Spoke Wheel .030 Prefinished Bonded Exterior Aluminum Heavy Duty Ramp Door Side Door Ramp Door and Floor lined with 3/4 Marine Plywood 7'0 Tall 16" Floor Crossmemebers Sidewall Vents Roof Vent One Piece Aluminum Roof White in Color 20' Long 8' Wide 7,000 GVWR City Tag | | | 0.00 | 0.00 |
| | | Subtotal | | \$11,185.00 |
| | | Sales Tax | (6.0%) | \$0.00 |
| | | Total | | \$11,185.00 |