

CITY OF BOYNTON BEACH REQUEST FOR PURCHASE OVER \$10,000

Date: 10/1/2018			
Requesting Department:	FIRE RESCUE	Contact Perso	on: OUIDA/ CHIEF DAVIDSON
Explanation for Purchas	e:		
AFG awarded Grant for a Diesel Exhaust Capture System at Station #3.			
Recommended Vendor	SAF	E AIR	
Dollar Amount of Purcha	ase \$49,995.00		
Source for Purchase (ch	eck and attach backı	up materials):	
Three Written Quotations		GSA	
State Contract	*	PRIDE/RESPECT	
SNAPS		Sole Source	X
Piggy-Back		Budgeted Item	
Emergency Purchase		Other	
Contract Number:	#R18-107		
NOTE: Pricing proposal for purchase must be presented in the same detail contained within the contract.			
Fund Source for Purchas	se:		
Account #105-3323-522-64-02			
	111		
Approvals:	1//		/ 1.
Department Head		Date	10/3/18
Purchasing Agent		Date	
Asst City Manager		Date	***
City Manager		Date	

Form Revised 02/01/02



clean air at work

October 1, 2018

To Whom It May Concern,

The purpose of this letter is to confirm that Safe Air Corp. is the exclusive dealer of Plymovent vehicle exhaust extraction systems in the states of Alabama, Florida and Georgia. As the only Plymovent dealer in these territories, Safe Air Corp. is in good standing and has the exclusive rights to sell, install and service our vehicle exhaust extraction systems.

For over 40 years, Plymovent has created products that provide a safe and healthy work environment. Together with our nationwide dealer network, Plymovent continuously strives to design and engineer products that meet or exceed our customers' expectations and needs.

If you have any questions, please do not hesitate to contact me.

Kindest regards, PLYMOVENT CORP.

Brad Pitzl

President/General Manager



Air Filtration & Environmental Products

Boynton Beach FRD -3501 N Congress Ave, Boynton Beach, Fl 33426 - FS3 - 3 Vehicles

Qty. 3- SafeAir/ PlymoVent Model VSRX-60-1 Exhaust Hose Rail Systems

- . 60' Extruded Aluminum Rail Profile for one truck and one in future
- Magnetic Grabber patented tailpipe nozzle for 5"x 5" hose System
- Safety Breakaway handle (Patented) for 4" hose system for Hose Safety
- MG conical truck/ Snag Free tailpipe adapter for trucks- Meets NPFA 1901 Standard

Qty. 1- SafeAir/ Plymovent Source Capture Blower Model -TEV-559

- Blower Automatic Start/Stop Motor Starter Package –WD-OLD- 208-230 VAC -24 VAC Control
- Blower motor 5 HP TEFC 208-230 VAC -3 Phase Wash down type
- · Epoxy powder coated blower housing with mounting hardware
- Class –B AMCA spark proof rating

Qty. 2- General Ventilation Exhaust Fan(s) for providing Outside Air per IIC-2015

- · Interface Relays for Ventilation Exhaust Fan (s) Type EFRS or Allen Bradly OLD -24 volt
- General Ventilation Exhaust Fan EF-2 Existing in Station
- Back Draft Wall Damper and Inlet Grill EF-2 Existing in Station

Qty. 1- Safe Air WD-4E-UL Electrical Control Box with Email Reporting

- NEMA 12 Enclosure with Safety Disconnect Switch
- Auto Start Receiver for (4) Vehicles
- Carbon Monoxide Sensor Real time with email reporting
- Nitrogen Dioxide Sensor Real time with email reporting
- Motor Starter Controller for EF 2
- Temperature Thermostat for EF -2 Exhaust Fan
- · Dirty Filter Alarm- Red LED Lifetime Real time with email reporting
- 95Dba Alarm Horn for Audible Gas Alarm
- · Strobe Light Tower for Visual Gas Alarm- Yellow/Red
- Email/ Text Dialer for 6 lifestyle and safety alarms (See Specs)
- Smoke Detector Alarm Strobe and Alarm with Real time email reporting
- · Firefighter Push to Call for service with email reporting

Otv. 1- SafeAir Clamping Ductwork System for Source Capture System

- 16 Ga Galv. Ductwork with clamps No Leak Laser Welded Seams
- 16 Ga Galv. Ductwork 30 Degree Branch s Reducers Elbows
- Ductwork Hangers Dampers Wall Flashings Hardware
- Back-Draft Stack Head for outdoor location

Qty. 1- Mechanical Installation Hardware Kit

• Strut - Clamps - Hangers - Bolts - Nuts - Rod - Screws - Plated and Stainless Steel

Qty. I - Mechanical Installation Labor of System

Qty. 1- Electrical Installation of System -120-230 v1PH or 208-230v-3 PH [

- Electrical Conduit Electrical Metal Tubing (EMT with Water-Tight Fittings)
- · Electrical Sub Panel (IF) required for final connections
- High Voltage THHN Multi Strand Conductor Wire Sized for Load as per NFPA Code
- Electrical Panel Breakers As pre the original panel Mfg. (AB-SD-Eton-Other)
- 24 Low Voltage Wiring in conduit for controls
- CAT 5 Wiring for Email reporting system (Open Port By Others)
- Labor for Electrical Wire and Install

Qty. I - Inbound Freight - FOB Boynton Beach FL

- Qty. 3 Truck Tailpipe Modifications
- Oty. 1 Onsite Project Management and Start-Up
- Qty. I-1 Year Parts (Plymovent) and labor (SafeAir) System Warranty

<u>Total Cost Price</u> - \$49,995.00

Note: Price does not include permits fees or state and local taxes